

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere Liefer- und Versandbedingungen

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

linkedin.com/company/szaboscandic in



VECTASHIELD Vibrance®

Antifade Mounting Medium with DAPI



Together we breakthrough™

Cat. No. H-1800

Storage Refrigerate

Concentration of DAPI

0.9 μg/ml

Refractive Index 1.38 (initial)

1.47 (cured)

Description

VECTASHIELD Vibrance Antifade Mounting Medium prevents rapid photobleaching of fluorescent proteins and fluorescent dyes on cell and tissue section preparations. VECTASHIELD Vibrance Antifade Mounting Medium is supplied as an aqueous, ready-to-use formulation which will cure (set) over several hours at room temperature to immobilize the coverslip. No further sealing of the coverslip is required.


Each lot is tested for photobleaching retardance with qualitative and quantitative methods.

This formulation of VECTASHIELD Vibrance Antifade Mounting Medium contains 4',6-diamidino-2-phenylindole (DAPI), which fluoresces when bound to DNA. DAPI excites around 360 nm and emits around 460 nm when bound to DNA, producing a blue fluorescence, and is ideal as a nuclear or chromosomal counterstain.

VECTASHIELD Vibrance Antifade Mounting Medium is compatible with the majority of commercially available fluorescent dyes.

Application

To mount tissue sections or cells, prepare the slide by removing excess liquid. Keep the specimen moist and do not dry. Use a disposable pipet



Human Uterine section (FFPE): Stained for Desmin (green) and Cytokeratin (red) using VectaFluor™ Duet Double Labeling Kit (DK-8828), and vasculature using DyLight™ 649 UEA I lectin (purple). Mounted in VECTASHIELD Vibrance Antifade Mounting Medium with DAPI (blue).

or pipet tip to dispense VECTASHIELD Vibrance Antifade Mounting Medium onto the specimen and coverslip. Small drop volumes of approximately 25 μl (per 22 mm x 22 mm coverslip) are recommended. For specimens mounted on coverslips, dispense mounting medium onto a clean slide and slowly lower the coverslip onto the medium.

Place mounted samples on a flat, dry surface in the dark and allow the medium to cure. Slides can be viewed 30 minutes after mounting, however optimal antifade performance is achieved after 2 hours. The refractive index will reach 1.47 when fully cured (24 hours). For longterm storage, store slides at room temperature or refrigerate.

Note: DAPI is a mutagen and appropriate precautions should be taken when using it.

VECTASHIELD Antifade Mounting Media Products:

Product	Counterstain	Cat. No.	Unit Size	Hardening
VECTASHIELD® Antifade Mounting Medium	none	H-1000	10 ml	no
	DAPI	H-1200	10 ml	no
	PI	H-1300	10 ml	no
VECTASHIELD® PLUS Antifade Mounting Medium	none	H-1900	2 ml, 10 ml	no
	DAPI	H-2000	2 ml, 10 ml	no
VECTASHIELD® HardSet™ Antifade Mounting Medium	none	H-1400	10 ml	yes
	DAPI	H-1500	10 ml	yes
	TRITC-Phalloidin	H-1600	10 ml	yes
VECTASHIELD Vibrance® Antifade Mounting Medium	none	H-1700	2 ml, 10 ml	yes
	DAPI	H-1800	2 ml, 10 ml	yes