

Axygen® Pipet Tips

| Overview |
|-------------------------------|
| Axygen MultiRack Tip System |
| Universal Filter Tips |
| Universal Tips |
| Axygen LTS Compatable Tips |
| Axygen HybridRack™ Pipet Tips |
| Axygen Traditional Pipet Tips |
| Universal Filter Tips |
| Universal Tips |
| Related Products |

Product Ordering Information

Products may not be available in all markets. For information on Purchasing Options, Terms and Conditions of Sale, Return and Repair Policies, and Warranty/Guarantee Registration, visit www.corning.com/how-to-buy.


Products may not be available in all markets.

Overview

Axygen® universal pipet tips are designed to fit a wide variety of single- and multi-channel pipettors. Flexible walls and a series of internal sealing rings ensure a secure fit with less force required to load and eject.

The Axygen product offering now also includes the Axygen MultiRack System, which is our updated reload and racking system. In addition to the universal fit tips packaged in the MultiRack System, we now also offer LTS Compatible tips in the MultiRack System, and if you are worried about your carbon footprint, the Axygen HybridRack™ is a perfect option for you.

- Automated assembly Ensures product is free from contamination.
- ▶ ISO 13485 and ISO 14001 Certified quality management systems supply stringent quality processes to ensure the highest quality finished good.
- ▶ In-house testing In-house QA lab allows product to be validated for fit, form, and function prior to release.
- ▶ Brand you can trust A long track record of innovation and value as one of the Corning trusted brands.
- Broad product offering Corning offers many different styles of pipet tips, including racked, filtered, reloads, stack racks, low retention, wide bore, and more. With so many options, you are sure to find a tip that works for you.



Packaging Solutions











Bulk

Reload

Racked

Tip Station

HybridRack



Select products are included in Corning EcoChoice™. All products included in the program are produced, packaged, or distributed in an environmentally friendly manner following United States FTC Guidelines. To learn more, go to www.corning.com/EcoChoice.

Axygen® MultiRack Tip System



Engineered to fit most pipettors on the market, the Axygen MultiRack Tip System is a complete pipet tip system offering in various packaging styles to meet every lab's needs. The MultiRack Tip System offers standard and extended-length sizes in volumes from 0.1 μ L to 1250 μ L. Racked and reload packaging styles feature preloaded tips in easy-load, color-coded deck inserts. With a small benchtop footprint and reusable rack, this system minimizes environmental impact and maximizes lab space. Axygen MultiRack Tip System products are made in the USA and meet ISO standards.

Axygen MultiRack Universal Filter Pipet Tips

- Racked
- Sterile
- ▶ RNase-/DNase-free
- Human DNA-free
- PCR inhibitor-free
- Non-pyrogenic
- ▶ USP Class VI polypropylene



| Maxymum Recovery® Surface Cat. No. | Volume | Description | Quantity |
|---------------------------------------|---|--|---|
| MRF-10XT-L-R-S | 10 μL | Extended length, graduated, fine point | 96/rack, 10 racks/pack, 5 packs/case |
| MRF-20-L-R-S | 20 μL | Graduated, fine point | 96/rack, 10 racks/pack, 5 packs/case |
| MRF-100-L-R-S | 100 μL | Graduated, fine point | 96/rack, 10 racks/pack, 5 packs/case |
| MRF-200NX-L-R-S | 200 μL | Graduated, fine point | 96/rack, 10 racks/pack, 5 packs/case |
| MRF-200XT-L-R-S | 200 μL | Extended length, graduated, fine point | 96/rack, 8 racks/pack, 5 packs/case |
| MRF-300XT-L-R-S | 300 μL | Extended length, graduated, fine point | 96/rack, 8 racks/pack, 5 packs/case |
| MRF-1000XT-L-R-S | 1250 μL | Extended length, graduated, fine point | 96/rack, 8 racks/pack, 5 packs/case |
| | MRF-10XT-L-R-S MRF-20-L-R-S MRF-100-L-R-S MRF-200NX-L-R-S MRF-200XT-L-R-S | Surface Cat. No. Volume MRF-10XT-L-R-S 10 μL MRF-20-L-R-S 20 μL MRF-100-L-R-S 100 μL MRF-200NX-L-R-S 200 μL MRF-200XT-L-R-S 300 μL | Surface Cat. No.VolumeDescriptionMRF-10XT-L-R-S10 μLExtended length, graduated, fine pointMRF-20-L-R-S20 μLGraduated, fine pointMRF-100-L-R-S100 μLGraduated, fine pointMRF-200NX-L-R-S200 μLGraduated, fine pointMRF-200XT-L-R-S200 μLExtended length, graduated, fine pointMRF-300XT-L-R-S300 μLExtended length, graduated, fine pointMRF-1000XT-L-R-S1250 μLExtended length, graduated, fine point |

Axygen MultiRack Universal Pipet Tips

10 μL Extended Length, Graduated, Fine Point

| Standard Surface Cat. No. | Maxymum Recovery Surface Cat. No. | Packaging | Sterile | Quantity |
|------------------------------|--------------------------------------|-------------|---------|--|
| MR-10XT | - | Bulk | No | 1,000/pack, 10 packs/case |
| MR-10XT-RL | - | Reload | No | 96/deck, 10 decks/pack, 4 packs/case |
| MR-10XT-R | - | Racked | No | 96/rack, 10 racks/pack, 5 packs/case |
| MR-10XT-R-S | MR-10XT-L-R-S | Racked | Yes | 96/rack, 10 racks/pack, 5 packs/case |
| MR-10XT-TS | - | Tip station | No | 192/layer, 5 layers/pack, 5 packs/case |
| MR-10XT-TS-S | - | Tip station | Yes | 192/layer, 5 layers/pack, 5 packs/case |

Axygen® MultiRack Universal Pipet Tips (continued)

μ L, Graduated, Fine Point

| Standard Surface Cat. No. | Maxymum Recovery Surface Cat. No. | Packaging | Sterile | Quantity |
|------------------------------|--------------------------------------|-------------|---------|--|
| MR-200 | - | Bulk | No | 1,000/pack, 10 packs/case |
| MR-200-RL | - | Reload | No | 96/deck, 10 decks/pack, 4 packs/case |
| MR-200-R | - | Racked | No | 96/rack, 10 racks/pack, 5 packs/case |
| MR-200-R-S | MR-200-L-R-S | Racked | Yes | 96/rack, 10 racks/pack, 5 packs/case |
| MR-200-TS | - | Tip station | No | 192/layer, 5 layers/pack, 5 packs/case |
| MR-200-TS-S | - | Tip station | Yes | 192/layer, 5 layers/pack, 5 packs/case |

μ L, Graduated, Fine Point

| Standard Surface Cat. No. | Maxymum Recovery® Surface Cat. No. | Packaging | Sterile | Quantity |
|------------------------------|---------------------------------------|-----------|---------|--------------------------------------|
| MR-300-RL | - | Reload | No | 96/deck, 10 decks/pack, 4 packs/case |
| MR-300-R | - | Racked | No | 96/rack, 10 racks/pack, 5 packs/case |
| MR-300-R-S | MR-300-L-R-S | Racked | Yes | 96/rack, 10 racks/pack, 5 packs/case |

μ L Graduated, Extended Length, Fine Point

| Standard Surface Cat. No. | Maxymum Recovery Surface Cat. No. | Packaging | Sterile | Quantity |
|------------------------------|--------------------------------------|-----------|---------|-------------------------------------|
| MR-300XT-R | - | Racked | No | 96/rack, 8 racks/pack, 5 packs/case |
| MR-300XT-R-S | MR-300XT-L-R-S | Racked | Yes | 96/rack, 8 racks/pack, 5 packs/case |

μ L Graduated, Extended Length, Fine Point

| Standard Surface Cat. No. | Maxymum Recovery Surface Cat. No. | Packaging | Sterile | Quantity |
|------------------------------|--------------------------------------|-----------|---------|-------------------------------------|
| MR-1000XT | - | Bulk | No | 768/pack, 10 packs/case |
| MR-1000XT-RL | - | Reload | No | 96/deck, 8 decks/pack, 4 packs/case |
| MR-1000XT-R | - | Racked | No | 96/rack, 8 racks/pack, 5 packs/case |
| MR-1000XT-R-S | MR-1000XT-L-R-S | Racked | Yes | 96/rack, 8 racks/pack, 5 packs/case |

Axygen[®] LTS Compatible Tips



Axygen LTS Compatible Tips are ergonomically designed to reduce discomfort and optimized to work with Rainin LiteTouch pipettors, all with the quality you have come to expect from Corning. By reducing the force required to seal and eject, Axygen LTS Compatible tips can help you avoid using excess force to obtain an effective seal between the pipettor and pipet tip. Axygen LTS Compatible tips are available in your favorite packaging formats including Axygen HybridRack™, a sustainable packaging choice. All LTS tips are composed of USP Class VI polypropylene and manufactured in an ISO 13485 and ISO 14001 United States based facility.

- ▶ RNase-/DNase-free
- Human gDNA-free
- ▶ PCR inhibition-free
- Nonpyrogenic
- USP Class VI polypropylene

$20~\mu L$ LTS Compatible Extended Length, Graduated, Fine Point

| Cat. No. | Packaging | Sterile | Quantity |
|--------------|----------------------|---------|--|
| LTF-20-R-S | Racked, filtered | Yes | 96/rack, 10 racks/pack, 5 packs/case |
| LTFER-20-R-S | HybridRack, filtered | Yes | 96/rack, 10 racks/pack, 5 packs/case |
| LT-20-R-S | Racked | Yes | 96/rack, 10 racks/pack, 5 packs/case |
| LT-20-R | Racked | No | 96/rack, 10 racks/pack, 5 packs/case |
| LT-20-RL | Reload stack | No | 96/deck, 10 decks/pack, 4 packs/case |
| LT-20-TS | Tip station | No | 192/layer, 5 layers/pack, 5 packs/case |
| LT-20-TS-S | Tip station | Yes | 192/layer, 5 layers/pack, 5 packs/case |

200 μ L LTS Compatible, Graduated, Fine Point

| Cat. No. | Packaging | Sterile | Quantity |
|---------------|----------------------|---------|--|
| LTF-200-R-S | Racked, filtered | Yes | 96/rack, 10 racks/pack, 5 packs/case |
| LTFER-200-R-S | HybridRack, filtered | Yes | 96/rack, 10 racks/pack, 5 packs/case |
| LT-200-R-S | Racked | Yes | 96/rack, 10 racks/pack, 5 packs/case |
| LT-200-R | Racked | No | 96/rack, 10 racks/pack, 5 packs/case |
| LT-200-RL | Reload stack | No | 96/deck, 10 decks/pack, 4 packs/case |
| LT-200-TS | Tip station | No | 192/layer, 5 layers/pack, 5 packs/case |
| LT-200-TS-S | Tip station | Yes | 192/layer, 5 layers/pack, 5 packs/case |

1000 μ L LTS Compatible, Graduated, Fine Point

| Cat. No. | Packaging | Sterile | Quantity |
|----------------|----------------------|---------|--------------------------------------|
| LTF-1000-R-S | Racked, filtered | Yes | 96/rack, 8 racks/pack, 5 packs/case |
| LTFER-1000-R-S | HybridRack, filtered | Yes | 96/rack, 10 racks/pack, 5 packs/case |
| LT-1000-R-S | Racked | Yes | 96/rack, 8 racks/pack, 5 packs/case |
| LT-1000-R | Racked | No | 96/rack, 8 racks/pack, 5 packs/case |
| LT-1000-RL | Reload stack | No | 96/deck, 8 decks/pack, 4 packs/case |

Axygen[®] HybridRack[™] Pipet Tips



Born from a desire to reduce the amount of waste happening in laboratories, Axygen HybridRack pipet tips are an example of our innovative spirit leading to a more sustainable future. By replacing the traditional plastic rack and lid normally found in racked pipet tip products with a paperboard rack and lid, we can reduce the amount of plastic per case by 70%, or approximately two pounds per case of 200 μ L tips. The HybridRack is strong enough to support multi-channel pipetting, and as soon as the rack is empty, it can be recycled using any curbside recycling program.

- Starile
- ▶ RNase-/DNase-free
- Human DNA-free
- ▶ PCR inhibitor-free
- Non-pyrogenic
- USP Class VI polypropylene

10 µL Extended Length, Graduated, Fine Point

| Standard Surface Cat. No. | Maxymum Recovery® Surface Cat. No. | Filtered | Sterile | Quantity |
|------------------------------|---------------------------------------|----------|---------|--------------------------------------|
| ERF-10XT-R-S | ERF-10XT-L-R-S | Yes | Yes | 96/rack, 10 racks/pack, 5 packs/case |
| ER-10XT-R-S | - | No | Yes | 96/rack, 10 racks/pack, 5 packs/case |

20 μL, 100 μL, and 200 μL Graduated, Fine Point

| Standard Surface Cat. No. | Maxymum Recovery Surface Cat. No. | Filtered | Sterile | Quantity |
|------------------------------|-----------------------------------|----------|---------|--------------------------------------|
| ERF-20-R-S | ERF-20-L-R-S | Yes | Yes | 96/rack, 10 racks/pack, 5 packs/case |
| ERF-100-R-S | ERF-100-L-R-S | Yes | Yes | 96/rack, 10 racks/pack, 5 packs/case |
| ER-200-R-S | - | No | Yes | 96/rack, 10 racks/pack, 5 packs/case |

200 μL and 300 μL Graduated, Fine Point

| Standard Surface Cat. No. | Maxymum Recovery Surface Cat. No. | Filtered | Sterile | Quantity |
|------------------------------|--------------------------------------|----------|---------|--------------------------------------|
| ERF-200NX-R-S | ERF-200NX-L-R-S | Yes | Yes | 96/rack, 10 racks/pack, 5 packs/case |
| ER-300NX-R-S | - | No | Yes | 96/rack, 10 racks/pack, 5 packs/case |

300 μL Graduated, Extended Length, Fine Point


| Standard Surface Cat. No. | Maxymum Recovery Surface Cat. No. | Filtered | Sterile | Quantity |
|------------------------------|--------------------------------------|----------|---------|--------------------------------------|
| ERF-300XT-R-S | ERF-300XT-L-R-S | Yes | Yes | 96/rack, 10 racks/pack, 5 packs/case |
| ER-300XT-R-S | - | No | Yes | 96/rack, 10 racks/pack, 5 packs/case |

1250 µL Graduated, Extended Length, Fine Point

| Standard Surface Cat. No. | Maxymum Recovery Surface Cat. No. | Filtered | Sterile | Quantity |
|------------------------------|--------------------------------------|----------|---------|--------------------------------------|
| ERF-1000XT-R-S | ERF-1000XT-L-R-S | Yes | Yes | 96/rack, 10 racks/pack, 5 packs/case |
| ER-1000XT-R-S | - | No | Yes | 96/rack, 10 racks/pack, 5 packs/case |

To learn more about the Corning HybridRack tips, see the Axygen HybridRack Pipet Tips Infographic (CLS-AN-782) at www.corning.com/lifesciences.

Axygen® Traditional Pipet Tips



Known around the world for industry leading quality, accuracy, and precision, Axygen Traditional pipet tips have been the preferred liquid handling solution for laboratories around the world for the last 20+ years. Axygen Traditional pipet tips are designed to fit a wide variety of single- and multi-channel pipettors. Flexible walls and a series of internal sealing rings ensure a secure fit with less force required to load and eject. Featuring tips with extended length, wide bore designs for viscous solutions, and our trademarked Maxymum Recovery surface, Axygen Traditional pipet tips are sure to meet and exceed your liquid handling expectations.

- ▶ RNase-/DNase-free
- Human gDNA-free
- Nonpyrogenic
- USP Class VI polypropylene

Axygen Traditional Universal Filter Pipet Tips

- Racked
- Filtered
- Sterile



| Standard Surface Cat. No. | Maxymum Recovery® Surface Cat. No. | | | Quantity |
|------------------------------|---------------------------------------|------------|--|--|
| TF-300-R-S | TF-300-L-R-S | 0.5 - 10 | Graduated, fine point | 96/rack, 10 racks/pack, 5 packs/case |
| TF-400-R-S | TF-400-L-R-S | 0.5 - 10 | Extended length, graduated, beveled | 96/rack, 10 racks/pack, 5 packs/case |
| TF-420-R-S | TF-420-L-R-S | 0.5 - 20 | Extended length, graduated, beveled | 96/rack, 10 racks/pack, 5 packs/case |
| TXLF-10-R-S | TXLF-10-L-R-S | 0.5 - 10 | Extended length, fine point | 96/rack, 10 racks/pack, 5 packs/case |
| TF-20-R-S | TF-20-L-R-S | 0.5 - 20 | Beveled | 96/rack, 10 racks/pack, 5 packs/case |
| TF-50-R-S | TF-50-L-R-S | 0.5 - 50 | Graduated, beveled | 96/rack, 10 racks/pack, 5 packs/case |
| TF-100-R-S | TF-100-L-R-S | 1 - 100 | Graduated, beveled | 96/rack, 10 racks/pack, 5 packs/case |
| TF-200-R-S | TF-200-L-R-S | 1 - 200 | Graduated, beveled | 96/rack, 10 racks/pack, 5packs/case |
| TF-205-WB-R-S | TF-205-WB-L-R-S | 1 - 200 | Wide bore | 96/rack, 10 racks/pack, 5 packs/case |
| TF-350-R-S | TF-350-L-R-S | 1 - 300 | Fine point | 96/rack, 10 racks/pack, 5 packs/case |
| TF-1000-R-S | TF-1000-L-R-S | 100 - 1000 | Beveled | 100/rack, 10 racks/pack, 5 packs/case |
| TF-1005-WB-R-S | TF-1005-WB-L-R-S | 1 - 1000 | Wide bore | 100/rack, 10 racks/pack, 5 packs/case |

Axygen® Traditional Universal Pipet Tips

10 μL Graduated, Fine Point

T-200-Y-STK

| 10 μL Graduate | ed, Fine Point | | | | |
|------------------------------|---|---------------------------------------|------------|---------|---|
| Standard Surface Cat. No. | Maxymum Recovery [©] Surface Cat. No. | Volume (μL) | Packaging | Sterile | Quantity |
| T-300 | T-300-L | 0.5 - 10 | Bulk | No | 1,000/pack, 20 packs/case |
| T-300-R | T-300-L-R | 0.5 - 10 | Racked | No | 96/rack, 10 racks/pack, 5 packs/case |
| T-300-R-S | T-300-L-R-S | 0.5 - 10 | Racked | Yes | 96/rack, 10 racks/pack, 5 packs/case |
| T-300-STK | T-300-L-STK | 0.5 - 10 | Stack rack | No | 96/layer, 5 layers/stack, 10 stacks/case |
| T-300-STK-S | T-300-L-STK-S | 0.5 - 10 | Stack rack | Yes | 96/layer, 5 layers/stack, 10 stacks/case |
| RFL-300-C | - | 0.5 - 10 | Reload | No | 96 tips/deck, 10 decks/pack 5 packs/case |
| 10 μL Extende | d Length, Graduate | d, Beveled | | | |
| Standard Surface Cat. No. | Maxymum Recovery Surface Cat. No. | Volume (μL) | Packaging | Sterile | Quantity |
| T-400 | T-400-L | 0.5 - 20 | Bulk | No | 1,000/pack, 20 packs/case |
| T-400-R | T-400-L-R | 0.5 - 20 | Racked | No | 96/rack, 10 racks/pack, 5 packs/case |
| T-400-R-S | T-400-L-R-S | 0.5 - 20 | Racked | Yes | 96/rack, 10 racks/pack, 5packs/case |
| 10 μL Extende | d Length, Fine Point | : | | | |
| Standard Surface Cat. No. | Maxymum Recovery Surface Cat. No. | Volume (μL) | Packaging | Sterile | Quantity |
| TXL-10 | TXL-10-L | 0.5 - 20 | Bulk | No | 1,000/pack, 20 packs/case |
| TXL-10-R | TXL-10-L-R | 0.5 - 20 | Racked | No | 96/rack, 10 racks/pack, 5 packs/case |
| TXL-10-R-S | TXL-10-L-R-S | 0.5 - 20 | Racked | Sterile | 96/rack, 10 racks/pack, 5 packs/case |
| 200 μL Beveled | ł | | | | |
| Standard Surface Cat. No. | Maxymum Recovery Surface Cat. No. | Volume (μL) | Packaging | Sterile | Quantity |
| T-200-C | T-200-C-L | 1 - 200 | Bulk | No | 1,000/pack, 20 packs/case |
| T-200-C-R | T-200-C-L-R | 1 - 200 | Racked | No | 96/rack, 10 racks/pack, 5 packs/case |
| T-200-C-R-S | T-200-C-L-R-S | 1 - 200 | Racked | Sterile | 96/rack, 10 racks/pack, 5 packs/case |
| T-200-C-STK | T-200-C-L-STK | 1 - 200 | Stack rack | No | 96/layer, 5 layers/stack, 10 stacks/case |
| 200 μL Beveled | d, Yellow | | | | |
| Standard Surface Cat. No. | Maxymum Recovery Surface Cat. No. | Volume (μL) | Packaging | Sterile | Quantity |
| T-200-Y | - | 1 - 200 | Bulk | No | 1,000/pack, 20 packs/case |
| T-200-Y-R | - | 1 - 200 | Racked | No | 96/rack, 10 racks/pack, 5 packs/case |
| T-200-Y-R-S | - | 1 - 200 | Racked | Sterile | 96/rack, 10 racks/pack, 5 packs/case |
| | | · · · · · · · · · · · · · · · · · · · | | | |

1 - 200

Stack rack

No

96/layer, 5 layers/stack, 10 stacks/case

Axygen® Traditional Universal Pipet Tips (continued)

200 μL Reference-compatible, Beveled, Graduated

| TR-222-C-R TR-222-C-LR 1 - 200 Racked No 96/rack, 10 racks/pack, 5 packs/case TR-222-C-R-S TR-222-C-LR-S 1 - 200 Racked Yes 96/rack, 10 racks/pack, 5 packs/case TR-222-C-STK TR-222-C-LSTK 1 - 200 Stack rack No 96/layer, 5 layers/stack, 10 stacks/case TR-222-C-STK-S TR-222-C-L-STK-S 1 - 200 Stack rack Yes 96/layer, 5 layers/stack, 10 stacks/case 200 μL Reference-compatible, Beveled, Graduated, Yellow Standard Surface Cat. No. Maxymum Recovery Surface Cat. No. Volume (μL) Packaging Sterile Quantity TR-222-Y 1 - 200 Bulk No 1000/pack, 20 packs/case P6/rack, 10 racks/pack, 5 packs/case TR-222-Y-R-S 1 - 200 Racked Yes 96/rack, 10 racks/pack, 5 packs/case TR-222-Y-STK 1 - 200 Stack rack No 96/layer, 5 layers/stack, 10 stacks/pack, 5 packs/case RFL-222-C 1 - 200 Reload No 96/layer, 5 layers/stack, 10 stacks/pack, 10 stacks/pack, 20 packs/case RFL-222-C 1 - 200 Reload No 96 layer, 5 layers/stac | Standard Surface Cat. No. | Maxymum Recovery® Surface Cat. No. | Volume (μL) | Packaging | Sterile | Quantity |
|---|---|--|--|---|----------------------------------|---|
| TR-222-C-R-S TR-222-C-L-R-S 1-200 Racked Yes 96/rack, 10 racks/pack, 5 packs/case | TR-222-C | TR-222-C-L | 1 - 200 | Bulk | No | 1,000/pack, 20 packs/case |
| TR-222-C-STK TR-222-C-L-STK 1-200 Stack rack No 96/layer, 5 layers/stack, 10 stacks/case TR-222-C-STK-5 TR-222-C-L-STK-5 1-200 Stack rack Yes 96/layer, 5 layers/stack, 10 stacks/case TR-222-C-STK-5 TR-222-C-L-STK-5 1-200 Stack rack Yes 96/layer, 5 layers/stack, 10 stacks/case TR-222-Y TR-222-Y TR-222-Y TR-222-Y TR-222-Y TR-222-Y TR-222-Y TR-222-Y TR-222-Y TR-222-Y-R-5 TR-200 Racked No 96/rack, 10 racks/pack, 5 packs/case TR-222-Y-STK TR-200 Racked Yes 96/rack, 10 racks/pack, 5 packs/case TR-222-Y-STK TR-200 Stack rack No 96/layer, 5 layers/stack, 10 stacks/case TR-222-Y-STK TR-200 Racked Yes 96/layer, 5 layers/stack, 10 stacks/case TR-222-Y-STK TR-200 Racked No 96/layer, 5 layers/stack, 10 stacks/case TR-222-Y-STK TR-200 Racked No 96/layer, 5 layers/stack, 10 stacks/case TR-222-Y-STK TR-200 Racked No 96/layer, 5 layers/stack, 10 stacks/case TR-222-Y-STK TR-200 Racked No 96/layer, 5 layers/stack, 20 stacks/case TR-222-Y-STK TR-200 Racked No 10 racks/pack, 5 packs/case TR-222-Y-STK TR-200 Racked No 10 racks/pack, 20 packs/case TR-205-WB-C TR-200 Racked No 96/lack, 10 racks/pack, 20 packs/case TR-205-WB-C-R-S TR-200 Racked No 96/lack, 10 racks/pack, 20 packs/case TR-205-WB-C-R-S TR-200 Racked No 96/lack, 10 racks/pack, 20 packs/case TR-205-WB-C-R-S TR-200 Racked No 96/lack, 10 racks/pack, 20 packs/case TR-200 Racked No 96/lack, 10 racks/pack, 20 packs/case TR-200-C-R-S TR-200-C-R-S TR-200-C-R-S TR-200 Racked No 96/lack, 10 racks/pack, 20 packs/case TR-200-C-R-S TR-200-C-R-S | TR-222-C-R | TR-222-C-L-R | 1 - 200 | Racked | No | |
| 10 stacks/case 10 | TR-222-C-R-S | TR-222-C-L-R-S | 1 - 200 | Racked | Yes | |
| 200 μL Reference-compatible, Beveled, Graduated, Yellow Standard Surface (a.t. No. Volume (μL) Packaging Sterile Quantity | TR-222-C-STK | TR-222-C-L-STK | 1 - 200 | Stack rack | No | |
| Standard Surface Cat. No. Maxymum Recovery Surface Cat. No. Volume (μL) Packaging Sterile Quantity TR-222-Y - 1 - 200 Bulk No 1000/pack, 20 packs/case TR-222-Y-R - 1 - 200 Racked No 96/rack, 10 racks/pack, 5 packs/case TR-222-Y-R-S - 1 - 200 Racked Yes 96/rack, 10 racks/pack, 5 packs/case TR-222-Y-STK - 1 - 200 Stack rack No 96/layer, 5 layers/stack, 10 stacks/case RFL-222-C - 1 - 200 Reload No 96 tips/deck, 10 decks/pack, 5 packs/case RFL-R - - Empty Rack for RFL-300-C and RFL-320-C and RFL-322-C 10 racks/pack, 5 packs/case 2200 μL Wide Bore Standard Surface Annow Surface Cat. No. Volume (μL) Packaging Sterile Quantity T-205-WB-C-R - 1 - 200 Bulk No 1,000/pack, 20 packs/case T-205-WB-C-R-S - 1 - 200 Racked No 96/rack, 10 racks/pack, 5 packs/case T-205-WB-C-R-S < | TR-222-C-STK-S | TR-222-C-L-STK-S | 1 - 200 | Stack rack | Yes | |
| Cat. No. Surface Cat. No. Volume (μL) Packaging Sterile Quantity TR-222-Y - 1 - 200 Bulk No 1000/pack, 20 packs/case TR-222-Y-R - 1 - 200 Racked No 96/rack, 10 racks/pack, 5 packs/case TR-222-Y-R-S - 1 - 200 Racked Yes 96/rack, 10 racks/pack, 5 packs/case TR-222-Y-STK - 1 - 200 Reload No 96 rips/deck, 10 decks/pac, 5 packs/case RFL-222-C - 1 - 200 Reload No 96 rips/deck, 10 decks/pac, 5 packs/case RFL-R - - Empty Rack for No RFL-300-C and RFL-222-C No 10 racks/pack, 5 packs/case 200 µL Wide Bore Standard Surface Gat. No. Volume (μL) Packaging Sterile Quantity T-205-WB-C-R 1 - 200 Bulk No 1,000/pack, 20 packs/case T-205-WB-C-R-S 1 - 200 Racked No 96/rack, 10 racks/pack, 5 packs/case T-205-WB-C-R-S 1 - 300 Racked | 200 μL Referen | ce-compatible, Beve | led, Graduate | ed, Yellow | | |
| TR-222-Y-R - 1 - 200 Racked No 96/rack, 10 racks/pack, 5 packs/case TR-222-Y-R-5 - 1 - 200 Racked Yes 96/rack, 10 racks/pack, 5 packs/case TR-222-Y-STK - 1 - 200 Stack rack No 96/layer, 5 layers/stack, 10 stacks/case RFL-222-C - 1 - 200 Reload No 96 tips/deck, 10 decks/pac 5 packs/case RFL-222-C - 1 - 200 Reload No 96 tips/deck, 10 decks/pac 5 packs/case RFL-R - Empty Rack for RFL-300-C and RFL-222-C 200 μL Wide Bore Standard Surface Cat. No. Volume (μL) Packaging Sterile Quantity T-205-WB-C - 1 - 200 Racked No 96/rack, 10 racks/pack, 5 packs/case T-205-WB-C-R-5 - 1 - 200 Racked No 96/rack, 10 racks/pack, 5 packs/case T-205-WB-C-R-5 - 1 - 200 Racked Sterile 96/rack, 10 racks/pack, 5 packs/case 300 μL Fine Point Standard Surface Cat. No. Volume (μL) Packaging Sterile Quantity T-350-C T-350-C-L T-350-C-L T-300 Bulk No 1,000/pack, 10 packs/case T-350-C-R T-350-C-L-R-5 1 - 300 Racked No 96/rack, 10 racks/pack, 5 packs/case T-350-C-R T-350-C-L-R-5 1 - 300 Racked No 96/rack, 10 racks/pack, 5 packs/case T-350-C-R-5 T-350-C-L-R-5 1 - 300 Racked No 96/rack, 10 racks/pack, 5 packs/case T-350-C-R-5 T-350-C-L-R-5 1 - 300 Racked No 96/rack, 10 racks/pack, 5 packs/case T-350-C-R-5 T-350-C-L-R-5 1 - 300 Racked No 96/rack, 10 racks/pack, 5 packs/case T-350-C-R-5 T-350-C-L-R-5 1 - 300 Racked No 96/rack, 10 racks/pack, 5 packs/case T-350-C-R-5 T-350-C-L-R-5 1 - 300 Racked No 100/rack, 10 racks/pack, 5 packs/case T-1000-C-R-5 T-1000-C-L-R-5 100-1000 Racked No 100/rack, 10 racks/pack, 5 packs/case | | | Volume (μL) | Packaging | Sterile | Quantity |
| TR-222-Y-R-S TR-222-Y-R-S TR-222-Y-R-S TR-222-Y-STK TR- | TR-222-Y | - | 1 - 200 | Bulk | No | 1000/pack, 20 packs/case |
| TR-222-Y-STK - 1 - 200 Stack rack No 96/Jayer, 5 Jayers/stack, 10 stacks/case | TR-222-Y-R | - | 1 - 200 | Racked | No | |
| 10 stacks/case 1 - 200 Reload No 96 tips/deck, 10 decks/pac 5 packs/case Spacks/case 1 - 200 Reload No 96 tips/deck, 10 decks/pac 5 packs/case Spacks/case 10 racks/pack, 5 packs/case 1 - 200 Racked No 1,000/pack, 20 packs/case 1 - 205 racks/pack, 5 packs/case 1 - 200 Racked No 96/rack, 10 racks/pack, 5 packs/case 1 - 200 Racked Sterile 96/rack, 10 racks/pack, 5 packs/case 1 - 200 Racked Sterile 96/rack, 10 racks/pack, 5 packs/case 1 - 300 Racked No 1,000/pack, 10 packs/case 1 - 350 racks/pack, 5 packs/case 1 - 300 Racked No 96/rack, 10 racks/pack, 5 packs/case 1 - 300 Racked Sterile 96/rack, 10 racks/pack, 5 packs/case 1 - 300 Racked Sterile 96/rack, 10 racks/pack, 5 packs/case 1 - 300 Racked Sterile 96/rack, 10 racks/pack, 5 packs/case 1 - 300 Racked Sterile 96/rack, 10 racks/pack, 5 packs/case 1 - 300 Racked Sterile 96/rack, 10 racks/pack, 5 packs/case 1 - 300 Racked Sterile 96/rack, 10 racks/pack, 5 packs/case 1 - 300 Racked Sterile 1 - 300 Racked Sterile 1 - 300 Racked Sterile 2 - 300 Racked Sterile 3 - 300 Racked Racked | TR-222-Y-R-S | - | 1 - 200 | Racked | Yes | |
| Facks/case Fa | TR-222-Y-STK | - | 1 - 200 | Stack rack | No | |
| RFL-300-C and RFL-222-C | RFL-222-C | - | 1 - 200 | Reload | No | 96 tips/deck, 10 decks/pacl 5 packs/case |
| Standard Surface Cat. No. Maxymum Recovery Surface Cat. No. Volume (μL) Packaging Sterile Quantity T-205-WB-C - 1 -200 Bulk No 1,000/pack, 20 packs/case T-205-WB-C-R - 1 -200 Racked No 96/rack, 10 racks/pack, 5 packs/case T-205-WB-C-R-S - 1 -200 Racked Sterile 96/rack, 10 racks/pack, 5 packs/case 300 μL Fine Point Standard Surface Cat. No. Maxymum Recovery Surface Cat. No. Volume (μL) Packaging Sterile Quantity T-350-C T-350-C-L 1 - 300 Bulk No 1,000/pack, 10 packs/case T-350-C-R T-350-C-L-R 1 - 300 Racked No 96/rack, 10 racks/pack, 5 packs/case T-350-C-R-S T-350-C-L-R-S 1 - 300 Racked Sterile 96/rack, 10 racks/pack, 5 packs/case T-350-C-R-S T-350-C-L-R-S 1 - 300 Racked Sterile 96/rack, 10 racks/pack, 5 packs/case T-1000-C-R-S T-1000-C-L-R 100 - 1000 Bulk No 1,000/pack, 5 packs/case T | RFL-R | - | - | RFL-300-C and | No | 10 racks/pack, 5 packs/cas |
| Cat. No. Surface Cat. No. Volume (μL) Packaging Sterile Quantity T-205-WB-C - 1 -200 Bulk No 1,000/pack, 20 packs/case T-205-WB-C-R - 1 -200 Racked No 96/rack, 10 racks/pack, 5 packs/case T-205-WB-C-R-S - 1 -200 Racked Sterile 96/rack, 10 racks/pack, 5 packs/case 300 μL Fine Point Standard Surface Cat. No. Maxymum Recovery Surface Cat. No. Volume (μL) Packaging Sterile Quantity T-350-C T-350-C-L 1 - 300 Racked No 96/rack, 10 racks/pack, 25 packs/case T-350-C-R T-350-C-L-R-S 1 - 300 Racked Sterile 96/rack, 10 racks/pack, 5 packs/case T-350-C-R-S T-350-C-L-R-S 1 - 300 Racked Sterile 96/rack, 10 racks/pack, 5 packs/case T-350-C-R-S T-350-C-L-R-S 1 - 300 Racked Sterile 96/rack, 10 racks/pack, 5 packs/case T-1000-C T-1000-C-L 100 - 1000 Bulk No 1,000/pac | 200 μL Wide Bo | ore | | | | |
| T-205-WB-C-R - 1 -200 Racked No 96/rack, 10 racks/pack, 5 packs/case T-205-WB-C-R-S - 1 -200 Racked Sterile 96/rack, 10 racks/pack, 5 packs/case 300 μL Fine Point Standard Surface Maxymum Recovery Cat. No. Volume (μL) Packaging Sterile Quantity T-350-C T-350-C-L 1 - 300 Bulk No 1,000/pack, 10 packs/case T-350-C-R-S T-350-C-L-R-S 1 - 300 Racked No 96/rack, 10 racks/pack, 5 packs/case T-350-C-R-S T-350-C-L-R-S 1 - 300 Racked Sterile 96/rack, 10 racks/pack, 5 packs/case 1000 μL Beveled, Clear Standard Surface Maxymum Recovery Cat. No. Volume (μL) Packaging Sterile Quantity T-1000-C T-1000-C-L 100 - 1000 Bulk No 1,000/pack, 5 packs/case T-1000-C-R-S T-1000-C-L-R-S 100 - 1000 Racked No 100/rack, 10 racks/pack, 5 packs/case T-1000-C-R-S T-1000-C-L-R-S 100 - 1000 Racked Yes 100/rack, 10 racks/pack, | | | Volume (μL) | Packaging | Sterile | Quantity |
| T-205-WB-C-R-S T-200 Racked Sterile 96/rack, 10 racks/pack, 5 packs/case | T-205-WB-C | - | 1-200 | Bulk | No | 1,000/pack, 20 packs/case |
| Standard Surface Cat. No. Volume (μL) Packaging Sterile Quantity | T-205-WB-C-R | | 1 200 | Racked | No | |
| Standard Surface Cat. No. Maxymum Recovery Surface Cat. No. Volume (μL) Packaging Sterile Quantity T-350-C T-350-C-L 1 - 300 Bulk No 1,000/pack, 10 packs/case T-350-C-R T-350-C-L-R 1 - 300 Racked No 96/rack, 10 racks/pack, 5 packs/case T-350-C-R-S T-350-C-L-R-S 1 - 300 Racked Sterile 96/rack, 10 racks/pack, 5 packs/case 1000 μL Beveled, Clear Standard Surface Cat. No. Maxymum Recovery Surface Cat. No. Volume (μL) Packaging Sterile Quantity T-1000-C T-1000-C-L 100 - 1000 Bulk No 1,000/pack, 5 packs/case T-1000-C-R T-1000-C-L-R 100 - 1000 Racked No 100/rack, 10 racks/pack, 5 packs/case T-1000-C-R-S T-1000-C-L-R-S 100 - 1000 Racked Yes 100/rack, 10 racks/pack, 5 packs/case | . 203 W C K | - | 1 -200 | | | 3 packs/case |
| Cat. No. Surface Cat. No. Volume (μL) Packaging Sterile Quantity T-350-C T-350-C-L 1 - 300 Bulk No 1,000/pack, 10 packs/case T-350-C-R T-350-C-L-R 1 - 300 Racked No 96/rack, 10 racks/pack, 5 packs/case T-350-C-R-S T-350-C-L-R-S 1 - 300 Racked Sterile 96/rack, 10 racks/pack, 5 packs/case 1000 μL Beveled, Clear Standard Surface Cat. No. Maxymum Recovery Surface Cat. No. Volume (μL) Packaging Sterile Quantity T-1000-C T-1000-C-L 100 - 1000 Bulk No 1,000/pack, 5 packs/case T-1000-C-R T-1000-C-L-R 100 - 1000 Racked No 100/rack, 10 racks/pack, 5 packs/case T-1000-C-R-S T-1000-C-L-R-S 100 - 1000 Racked Yes 100/rack, 10 racks/pack, | | - | | Racked | Sterile | 96/rack, 10 racks/pack, |
| T-350-C-R T-350-C-L-R 1 - 300 Racked No 96/rack, 10 racks/pack, 5 packs/case T-350-C-R-S T-350-C-L-R-S 1 - 300 Racked Sterile 96/rack, 10 racks/pack, 5 packs/case 1000 μL Beveled, Clear Standard Surface Cat. No. Volume (μL) Packaging Sterile Quantity T-1000-C T-1000-C-L 100 - 1000 Bulk No 1,000/pack, 5 packs/case T-1000-C-R T-1000-C-L-R 100 - 1000 Racked No 100/rack, 10 racks/pack, 5 packs/case T-1000-C-R-S T-1000-C-L-R-S 100 - 1000 Racked Yes 100/rack, 10 racks/pack, | T-205-WB-C-R-S | | | Racked | Sterile | 96/rack, 10 racks/pack, |
| 5 packs/case T-350-C-R-S T-350-C-L-R-S 1 - 300 Racked Sterile 96/rack, 10 racks/pack, 5 packs/case 1000 μL Beveled, Clear Standard Surface Cat. No. Volume (μL) Packaging Sterile Quantity T-1000-C T-1000-C-L 100 - 1000 Bulk No 1,000/pack, 5 packs/case T-1000-C-R T-1000-C-L-R 100 - 1000 Racked No 100/rack, 10 racks/pack, 5 packs/case T-1000-C-R-S T-1000-C-L-R-S 100 - 1000 Racked Yes 100/rack, 10 racks/pack, 5 packs/case | T-205-WB-C-R-S 300 µL Fine Poi Standard Surface | nt Maxymum Recovery | 1-200 | | | 96/rack, 10 racks/pack, 5 packs/case |
| 5 packs/case 5 packs/case 1000 μL Beveled, Clear Standard Surface Cat. No. Wolume (μL) Packaging Sterile Quantity T-1000-C T-1000-C-L 100 - 1000 Bulk No 1,000/pack, 5 packs/case T-1000-C-R T-1000-C-L-R 100 - 1000 Racked No 100/rack, 10 racks/pack, 5 packs/case T-1000-C-R-S T-1000-C-L-R-S 100 - 1000 Racked Yes 100/rack, 10 racks/pack, | T-205-WB-C-R-S 300 μL Fine Poi Standard Surface Cat. No. | nt Maxymum Recovery Surface Cat. No. | 1 -200 Volume (μL) | Packaging | Sterile | 96/rack, 10 racks/pack, 5 packs/case |
| Standard Surface Cat. No. Maxymum Recovery Surface Cat. No. Volume (μL) Packaging Sterile Quantity T-1000-C T-1000-C-L 100 - 1000 Bulk No 1,000/pack, 5 packs/case T-1000-C-R T-1000-C-L-R 100 - 1000 Racked No 100/rack, 10 racks/pack, 5 packs/case T-1000-C-R-S T-1000-C-L-R-S 100 - 1000 Racked Yes 100/rack, 10 racks/pack, | T-205-WB-C-R-S 300 μL Fine Poi Standard Surface Cat. No. T-350-C | nt Maxymum Recovery Surface Cat. No. T-350-C-L | 1 -200 Volume (μL) 1 - 300 | Packaging Bulk | Sterile No | 96/rack, 10 racks/pack, 5 packs/case Quantity 1,000/pack, 10 packs/case 96/rack, 10 racks/pack, |
| Cat. No. Surface Cat. No. Volume (μL) Packaging Sterile Quantity T-1000-C T-1000-C-L 100 - 1000 Bulk No 1,000/pack, 5 packs/case T-1000-C-R T-1000-C-L-R 100 - 1000 Racked No 100/rack, 10 racks/pack, 5 packs/case T-1000-C-R-S T-1000-C-L-R-S 100 - 1000 Racked Yes 100/rack, 10 racks/pack, | T-205-WB-C-R-S 300 µL Fine Poi Standard Surface Cat. No. T-350-C T-350-C-R | nt Maxymum Recovery Surface Cat. No. T-350-C-L T-350-C-L-R | 1 -200 Volume (μL) 1 - 300 1 - 300 | Packaging Bulk Racked | Sterile No No | 96/rack, 10 racks/pack, 5 packs/case Quantity 1,000/pack, 10 packs/case 96/rack, 10 racks/pack, 5 packs/case |
| T-1000-C T-1000-C-L 100 - 1000 Bulk No 1,000/pack, 5 packs/case T-1000-C-R T-1000-C-L-R 100 - 1000 Racked No 100/rack, 10 racks/pack, 5 packs/case T-1000-C-R-S T-1000-C-L-R-S 100 - 1000 Racked Yes 100/rack, 10 racks/pack, | T-205-WB-C-R-S 300 µL Fine Poi Standard Surface Cat. No. T-350-C T-350-C-R | nt Maxymum Recovery Surface Cat. No. T-350-C-L T-350-C-L-R | 1 -200 Volume (μL) 1 - 300 1 - 300 | Packaging Bulk Racked | Sterile No No | 96/rack, 10 racks/pack, 5 packs/case Quantity 1,000/pack, 10 packs/case 96/rack, 10 racks/pack, 5 packs/case |
| T-1000-C-R T-1000-C-L-R 100 - 1000 Racked No 100/rack, 10 racks/pack, 5 packs/case T-1000-C-R-S T-1000-C-L-R-S 100 - 1000 Racked Yes 100/rack, 10 racks/pack, | T-205-WB-C-R-S 300 µL Fine Poi Standard Surface Cat. No. T-350-C T-350-C-R T-350-C-R-S 1000 µL Bevele Standard Surface | nt Maxymum Recovery Surface Cat. No. T-350-C-L T-350-C-L-R T-350-C-L-R-S d, Clear Maxymum Recovery | 1-200 Volume (μL) 1-300 1-300 | Packaging Bulk Racked Racked | Sterile No No Sterile | 96/rack, 10 racks/pack, 5 packs/case Quantity 1,000/pack, 10 packs/case 96/rack, 10 racks/pack, 5 packs/case 96/rack, 10 racks/pack, 5 packs/case |
| T-1000-C-R-S T-1000-C-L-R-S 100 - 1000 Racked Yes 100/rack, 10 racks/pack, | T-205-WB-C-R-S 300 µL Fine Poi Standard Surface Cat. No. T-350-C T-350-C-R T-350-C-R-S 1000 µL Bevele Standard Surface Cat. No. | Maxymum Recovery Surface Cat. No. T-350-C-L T-350-C-L-R T-350-C-L-R-S d, Clear Maxymum Recovery Surface Cat. No. | 1-200 Volume (μL) 1-300 1-300 1-300 Volume (μL) | Packaging Bulk Racked Racked | Sterile No No Sterile Sterile | 96/rack, 10 racks/pack, 5 packs/case Quantity 1,000/pack, 10 packs/case 96/rack, 10 racks/pack, 5 packs/case 96/rack, 10 racks/pack, 5 packs/case |
| | T-205-WB-C-R-S 300 µL Fine Poi Standard Surface Cat. No. T-350-C T-350-C-R T-350-C-R-S 1000 µL Bevele Standard Surface Cat. No. T-1000-C | Maxymum Recovery Surface Cat. No. T-350-C-L T-350-C-L-R T-350-C-L-R-S d, Clear Maxymum Recovery Surface Cat. No. T-1000-C-L | 1-200 Volume (μL) 1-300 1-300 Volume (μL) 100-1000 | Packaging Bulk Racked Racked Packaging Bulk | Sterile No No Sterile Sterile No | 96/rack, 10 racks/pack, 5 packs/case Quantity 1,000/pack, 10 packs/case 96/rack, 10 racks/pack, 5 packs/case 96/rack, 10 racks/pack, 5 packs/case Quantity 1,000/pack, 5 packs/case 100/rack, 10 racks/pack, |

Axygen® Traditional Universal Pipet Tips (continued)

1000 μL Beveled, Blue

| Standard Surface Cat. No. | Maxymum Recovery® Surface Cat. No. | Volume (μL) | Packaging | Sterile | Quantity |
|------------------------------|---------------------------------------|-------------|------------------------------|---------|---|
| T-1000-B | - | 100 - 1000 | Bulk | No | 1,000/pack, 5 packs/case |
| T-1000-B-R | - | 100 - 1000 | Racked | No | 100/rack, 10 racks/pack, 5 packs/case |
| T-1000-B-R-S | - | 100 - 1000 | Racked | Yes | 100/rack, 10 racks/pack, 5 packs/case |
| RFL-1200-C | - | 1 - 1200 | Reload | No | 96 tips/deck, 8 decks/pack, 6 packs/case |
| RFL-R-1200 | - | - | Empty Rack for RFL-1200-C | No | 10 racks/pack, 3 packs/case |

1000 μL Wide Bore

| Standard Surface Cat. No. | Maxymum Recovery Surface Cat. No. | Volume (μL) | Packaging | Sterile | Quantity |
|------------------------------|--------------------------------------|-------------|-----------|---------|--|
| T-1005-WB-C | - | 100 - 1000 | Bulk | No | 1,000/pack, 5 packs/case |
| T-1005-WB-C-R | T-1005-WB-C-L-R | 100 - 1000 | Racked | No | 100/rack, 10 racks/pack, 5 packs/case |
| T-1005-WB-C-R-S | - | 100 - 1000 | Racked | Yes | 100/rack, 10 racks/pack, 5 packs/case |

Related Products

Axygen SnapLock Microcentrifuge Tubes

| Cat. No. | Description | Quantity |
|-------------|---|--|
| MCT-060-C | 0.6 mL Snaplock microcentrifuge tubes, MaxyClear | 1,000/pack, 10 packs/case |
| MCT-060-C-S | 0.6 mL Snaplock microcentrifuge tubes, MaxyClear, sterile | 100/bag, 5 bags/pack, 10 packs/case |
| MCT-150-C | 1.5 mL Snaplock microcentrifuge tubes, MaxyClear | 5,000/pack, 10 packs/case |
| MCT-150-C-S | 1.5 mL Snaplock microcentrifuge tubes, MaxyClear, sterile | 50/bag, 5 bags/pack, 10 packs/case |
| MCT-175-C | 1.7 mL Snaplock microcentrifuge tubes, MaxyClear | 500/pack, 10 packs/case |
| MCT-175-C-S | 1.7 mL Snaplock microcentrifuge tubes, MaxyClear, sterile | 250/pack, 10 packs/case |
| MCT-200-C | 2.0 mL Snaplock microcentrifuge tubes, MaxyClear | 5,000/pack, 10 packs/case |
| MCT-200-C-S | 2.0 mL Snaplock microcentrifuge tubes, MaxyClear, sterile | 50/bag, 5 bags/pack, 10 packs/case |
| MCT-500-C | 5.0 mL Snaplock microcentrifuge tubes, MaxyClear | 250/pack, 5 packs/case |
| MCT-500-C-S | 5.0 mL Snaplock microcentrifuge tubes, MaxyClear, sterile | 250/pack, 5 packs/case |
| | | |

NOTE: Other options are available, including full cases of different colors, assorted colors in the same case, capless tubes, and tubes with Axygen Maxymum Recovery surface.

For more related products, see Axygen Product Selection Guide (CLS-A-PSG-001) at www.corning.com/lifesciences.



Official distributor

SZABO-SCANDIC HandelsgmbH Quellenstraße 110, A-1100 Wien T. +43(0)1 489 3961-0 F. +43(0)1 489 3961-7 mail@szabo-scandic.com www.szabo-scandic.com



Warranty/Disclaimer: Unless otherwise specified, all products are for research use or general laboratory use only.* Not intended for use in diagnostic or therapeutic procedures. Not for use in humans. These products are not intended to mitigate the presence of microorganisms on surfaces or in the environment, where such organisms can be deleterious to humans or the environment. Corning Life Sciences makes no claims regarding the performance of these products for clinical or diagnostic applications. *For a listing of US medical devices, regulatory classifications or specific information on claims, visit www.corning.com/resources.

Corning's products are not specifically designed and tested for diagnostic testing. Many Corning products, though not specific for diagnostic testing, can be used in the workflow and preparation of the test at the customers discretion. Customers may use these products to support their claims. We cannot make any claims or statements that our products are approved for diagnostic testing either directly or indirectly. The customer is responsible for any testing, validation, and/or regulatory submissions that may be required to support the safety and efficacy of their intended application.

CORNING

Corning Incorporated
Life Sciences

www.corning.com/lifesciences

NORTH AMERICA t 800.492.1110 t 978.442.2200

ASIA/PACIFIC Australia/New Zealand t 61 427286832 Chinese Mainland

Chinese Mainland t 86 21 3338 4338

India t 91 124 4604000 Japan t 81 3-3586 1996 Korea

t 82 2-796-9500 **Singapore**

t 65 6572-9740 Taiwan

t 886 2-2716-0338

EUROPECSEurope@corning.com

France t 0800 916 882 Germany

t 0800 101 1153 **The Netherlands** t 020 655 79 28

United Kingdom t 0800 376 8660 All Other European Countries t+31 (0) 206 59 60 51

LATIN AMERICA grupoLA@corning.com Brazil t 55 (11) 3089-7400

Mexico t (52-81) 8158-8400