



# SZABO SCANDIC

Part of Europa Biosite

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!  
See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

[mail@szabo-scandic.com](mailto:mail@szabo-scandic.com)

[www.szabo-scandic.com](http://www.szabo-scandic.com)

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

## Anti-ssDNA/dsDNA [m3D8] Bulk Size Ab00347-1.7-BT

This antibody is in our proprietary AbFab2™ recombinant F(ab2) format - based on Mouse IgG1 sequence with a short dimerization domain to improve stability and a his tag.

**Isotype and Format:** Mouse F(ab)2, AbFab2™ His-Tagged, Kappa

**Clone Number:** m3D8

**Alternative Name(s) of Target:** DNA; desoxyribonucleic acid; dsDNA; ssDNA

**UniProt Accession Number of Target Protein:**

**Published Application(s):** hydrololysis, SPR, ELISA

**Published Species Reactivity:**

**Immunogen:** 3`-biotin oligodeoxynucleotide ss(dN)40 with  
N=CCATGAGTGATAACACTGCGGCCAACTTACTTCTGACAAC

**Specificity:** Binds unspecifically to double- and single-stranded DNA oligomers.

**Application Notes:** This catalytic antibody binds to DNA oligomers both single- and double-stranded, irrespective of the sequence, showing DNA-hydrolytic activity. DNA is the principle storage of genetic information and usually sequestered within the nucleus in Eukaryotes. Extracellular DNA is a key danger signal for the immune system and an antigen to disease-causing auto-antibodies (incl. DNA-hydrolysing antibodies) e.g. in Systemic Lupus Erythematosus. Antibody formats comprising different numbers of variable domains may be useful tools in investigating the significance of these catalytic antibodies in disease.

**Antibody First Published in:** Kim et al. 2006 Heavy and light chain variable single domains of an anti-DNA binding antibody hydrolyze both double- and single-stranded DNAs without sequence specificity. Journal of Biological Chemistry 2006; 281(22):15287-1595 [PMID:16551636](#)

**Note on publication:** Describes binding studies on mAB 3D8 on different types of oligos (ssDNA, dsDNA, dT:dA, dN:dN etc) using ELISA and SPR.

## Product Form

**Size:** 1 mg Purified antibody in bulk size.

**Purification:** Purified by Immobilized Metal Affinity Chromatography

**Supplied In:** PBS only.

**Storage Recommendation:** Store at 4°C for up to 3 months. Note, this antibody is provided without added preservatives, it is therefore recommed this antibody be handled under sterile conditions. For longer

storage, aliquot and store at -20°C.

**Concentration:** 1 mg /ml.

Important note - This product is for research use only. It is not intended for use in therapeutic or diagnostic procedures for humans or animals.