



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Anti-Desipramine [B-9] Bulk Size Ab00363-6.4-BT

This antibody was created using our proprietary Fc Silent™ engineered Fc domain containing key point mutations that abrogate binding to Fc gamma receptors.

This chimeric rat antibody was made using the variable domain sequences of the original mouse scFv format for improved compatibility with existing reagents, assays and techniques.

Isotype and Format: Rat IgG1, [Fc Silent™](#), Kappa

Clone Number: B-9

Alternative Name(s) of Target: desmethylimipramine

UniProt Accession Number of Target Protein:

Published Application(s): ELISA

Published Species Reactivity:

Immunogen: 3-(10,11-Dihydro-5H-dibenzo[b,f]azepin-5-yl)-N-methylpropan-1-amine

Specificity: This antibody binds to desipramine.

Application Notes: This antibody binds to desipramine, a tricyclic antidepressant which inhibits the reuptake of noradrenaline/norepinephrine.

Antibody First Published in: Kitchin et al. 1995 Cloning, expression, and purification of an anti-desipramine single chain antibody in NS/O myeloma cells. Journal of Pharmacological Science 1995; 84(10):1184-1189 [PMID:8801332](#)

Note on publication: Describes the cloning and expression of an scFV against desipramine.

Product Form

Size: 1 mg Purified antibody in bulk size.

Purification: Protein A affinity purified

Supplied In: PBS only.

Storage Recommendation: Store at 4°C for up to 3 months. Note, this antibody is provided without added preservatives, it is therefore recommended this antibody be handled under sterile conditions. For longer storage, aliquot and store at -20°C.

Concentration: 1 mg /ml.

Important note - This product is for research use only. It is not intended for use in therapeutic or diagnostic procedures for humans or animals.