



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Anti-NgR2 [P14] Standard Size Ab00376-2.3

This antibody was created using our proprietary Fc Silent™ engineered Fc domain containing key point mutations that abrogate binding to Fc gamma receptors.

This chimeric mouse antibody was made using the variable domain sequences of the original Rabbit IgG1 format, for improved compatibility with existing reagents, assays and techniques.

Isotype and Format: Mouse IgG2a, [Fc Silent™](#), Kappa

Clone Number: P14

Alternative Name(s) of Target: Nogo-66 Receptor

UniProt Accession Number of Target Protein: Q86UN3

Published Application(s): IP, WB, ELISA, FC

Published Species Reactivity: Rat, Human, Mouse

Immunogen: (His)6-tagged fragment of rat NgR2 (amino acids 279-420).

Specificity: The antibody binds to human NgR2 with a Kd of 2.3 nM and to rat NgR2 with a Kd of 0.48 nM (bivalent binding).

Application Notes: The antibody binds specifically to residues 351-399 of NgR2, a member of the Nogo-66 receptor family which inhibits axonal growth and sporulating in the CNS.

Antibody First Published in: Hofer et al. Chimeric Rabbit/Human Fab and IgG Specific for Members of the Nogo-66 Receptor Family Selected for Species Cross-Reactivity with an improved Phage Display Vector. Journal of Immunological Methods 2008; 318(1-2):75-87 [PMID:17140598](#)

Note on publication: Describes the generation of two monoclonal rabbit antibodies against members of the Nogo-66 receptor family.

Product Form

Size: 200 µg Purified antibody.

Purification: Protein A affinity purified

Supplied In: PBS with 0.02% Proclin 300.

Storage Recommendation: Store at 4°C for up to 3 months. For longer storage, aliquot and store at -20°C.

Concentration: 1 mg/ml.

Important note - This product is for research use only. It is not intended for use in therapeutic or diagnostic

procedures for humans or animals.