



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Anti-CXCL9 [I5-8] Bulk Size Ab00379-10.7-BT

This antibody is in our proprietary AbFab2™ recombinant F(ab2) format - based on Human IgG1 sequence with a short dimerization domain to improve stability and a his tag.

This chimeric human antibody was made using the variable domain sequences of the original Mouse scFv format, for improved compatibility with existing reagents, assays and techniques.

Isotype and Format: Human F(ab)2, AbFab2™ His-Tagged, Kappa

Clone Number: I5-8

Alternative Name(s) of Target: MIG; MIG/CXCL9; Monokine induced by Interferon gamma

UniProt Accession Number of Target Protein: Q07325

Published Application(s): WB, ELISA

Published Species Reactivity: Human

Immunogen: Biotinylated human MIG.

Specificity: The antibody binds specifically to MIG/CXCL9.

Application Notes: The antibody binds to monokine induced by interferon-gamma, a T-cell chemoattractant that interacts with chemokine receptor CXCR3 and is degraded by matrix metalloproteinase 9.

Antibody First Published in: Eteshola E. Isolation of scFv fragments specific for monokine induced by interferon-gamma (MIG) using phage display. Journal of Immunological Methods 2010; 358:104-110 [PMID:](#)

Note on publication: Describes the generation of scFvs by phage display and ELISA-based affinity characterization.

Product Form

Size: 1 mg Purified antibody in bulk size.

Purification: Purified by Immobilized Metal Affinity Chromatography

Supplied In: PBS only.

Storage Recommendation: Store at 4°C for up to 3 months. Note, this antibody is provided without added preservatives, it is therefore recommended this antibody be handled under sterile conditions. For longer storage, aliquot and store at -20°C.

Concentration: 1 mg /ml.

Important note - This product is for research use only. It is not intended for use in therapeutic or diagnostic

procedures for humans or animals.