



# SZABO SCANDIC

Part of Europa Biosite

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!  
See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

[mail@szabo-scandic.com](mailto:mail@szabo-scandic.com)

[www.szabo-scandic.com](http://www.szabo-scandic.com)

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

## Anti-RT1-D [OX-17] Standard Size Ab00582-23.0

This chimeric rabbit antibody was made using the variable domain sequences of the original Mouse IgG1 format, for improved compatibility with existing reagents, assays and techniques.

**Isotype and Format:** Rabbit IgG, Kappa

**Clone Number:** OX-17

**Alternative Name(s) of Target:** MHC class II RT1D alpha chain antigen; OX17; MRC OX-17; MRC OX17

**UniProt Accession Number of Target Protein:** O98172

**Published Application(s):** Depletion, IP, WB, FC, IF

**Published Species Reactivity:** Rat

**Immunogen:** OX-17 was generated using BALB/c mice raised against rat spleen glycoproteins depleted of the Ia-A antigen using an OX-6 immunoaffinity column.

**Specificity:** The OX-17 antigenic determinant is isotypic and on the alpha chain. OX-17 labels B but not T cells from lymph node or thoracic duct lymph but very weakly labels thymocytes and does not label erythrocytes. OX-17 does not cross-react with Rat Ia-A or Mouse Ia-E antigen. The target antigen is expressed on antigen presenting cells, including B cells, macrophages and dendritic cells. RT1-D is a rat MHC class II protein. RT1-D is equivalent to mouse I-E antigen.

**Application Notes:** This antibody binds to rat MHC Class I, and has been used to show that, in an in vivo rat model, antibodies against MHC class I antigens from stored blood may precipitate transfusion-related acute lung injury (Kelher, 2009).

**Antibody First Published in:** Fukumoto et al Mouse monoclonal antibodies against rat major histocompatibility antigens. Two Ia antigens and expression of Ia and class I antigens in rat thymus. Eur J Immunol 12:237-43 19826456222 [PMID:6178598](#)

**Note on publication:** Describes the generation and use of OX-17 to identify and purify novel Ia antigens..

### Product Form

**Size:** 200 µg Purified antibody.

**Purification:** Protein A affinity purified

**Supplied In:** PBS with 0.02% Proclin 300.

**Storage Recommendation:** Store at 4°C for up to 3 months. For longer storage, aliquot and store at -20°C.

**Concentration:**

1 mg/ml.

Important note - This product is for research use only. It is not intended for use in therapeutic or diagnostic procedures for humans or animals.