



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Anti-CD5 [UCHT2] Standard Size Ab00693-10.3

This antibody was created using our proprietary Fc Silent™ engineered Fc domain containing key point mutations that abrogate binding to Fc gamma receptors. Developed in partnership with Ximbio (www.ximbio.com).

This is a reformatted human IgG1 Fc Silent Fc Silent™ antibody, based on the original human IgG1 format, created for improved compatibility with existing reagents, assays and techniques.

Isotype and Format: Human IgG1, Fc Silent™, Kappa

Clone Number: UCHT2

Alternative Name(s) of Target: LEU1; T1; UCH-T2

UniProt Accession Number of Target Protein: P06127

Published Application(s): WB, FC, IHC

Published Species Reactivity: Human

Immunogen: Thymocytes followed by Sezary T cells.

Specificity: This antibody binds to CD5, a surface glycoprotein present on >95% of peripheral T-cells and B-cell chronic lymphocytic leukaemia cells.

Application Notes: This antibody binds CD5 and is useful for detection of T cells in peripheral blood and lymph nodes and categorisation of T cell lymphomas and B cell chronic lymphocytic leukaemia.

Antibody First Published in: Beverley and Callard Re-Definition of Human T Cells by Monoclonal Antibodies rotides Biol. Fluids. Colloq. 29:653-8., 1982 [PMID:](#)

Note on publication: Describes the generation of this antibody.

Product Form

Size: 100 µg Purified antibody.

Purification: Protein A affinity purified

Supplied In: PBS with 0.02% Proclin 300.

Storage Recommendation: Store at 4°C for up to 3 months. For longer storage, aliquot and store at -20°C.

Concentration: 1 mg/ml.

Important note - This product is for research use only. It is not intended for use in therapeutic or diagnostic procedures for humans or animals.