



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Anti-PD-1 [RMP1-14] Bulk size M Ab00813-1.32-BS

This antibody has a D265A mutation affecting Fc receptor engagement.

This chimeric mouse antibody was made using the variable domain sequences of the original Rat IgG2a format, for improved compatibility with existing reagents, assays and techniques.

Isotype and Format: Mouse IgG1-D265A, Fc Silenced, Kappa

Clone Number: RMP1-14

Alternative Name(s) of Target: CD279; PD1; PDCD1; RMP1-14; RMP1/14; Programmed Death Receptor 1; Programmed Death 1

UniProt Accession Number of Target Protein:

Published Application(s): Block, FC, IHC-Fr

Published Species Reactivity: Mouse

Immunogen: The original rat hybridoma was generated by immunizing Sprague Dawley rats with mouse PD-1-transfected BHK cells. A P3U1 myeloma was used as the fusion partner.

Specificity: This antibody binds to murine PD-1.

Application Notes: Binding of the original rat IgG2a antibody to PD1 has been reported to prevent binding of both B7-H1-Ig (PD-L1-Ig) and B7-DC-Ig (PD-L2-Ig) fusion proteins to PD1.

Antibody First Published in: Yamazaki et al. Blockade of B7-H1 on macrophages suppresses CD4+ T cell proliferation by augmenting IFN-gamma-induced nitric oxide production. J Immunol. 2005 Aug 1;175(3):1586-92 [PMID:16034097](#)

Note on publication: Describes the generation and initial characterisation of the RMP1-14 hybridoma

Product Form

Size: 1 mg Purified antibody in bulk size.

Purification: Protein A affinity purified

Supplied In: PBS only.

Storage Recommendation: Store at 4°C for up to 3 months. Note, this antibody is provided without added preservatives, it is therefore recommended this antibody be handled under sterile conditions. For longer storage, aliquot and store at -20°C.

Concentration: See vial label

Important note - This product is for research use only. It is not intended for use in therapeutic or diagnostic procedures for humans or animals.