



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Anti-BCR-ABL [7c6] Standard Size Ab00817-2.3

This antibody was created using our proprietary Fc Silent™ engineered Fc domain containing key point mutations that abrogate binding to Fc gamma receptors. Developed in partnership with Ximbio (www.ximbio.com).

Isotype and Format: Mouse IgG2a, Fc Silent™, Kappa

Clone Number: 7c6

Alternative Name(s) of Target: BCR/ABL; Breakpoint cluster region protein-tyrosine protein kinase ABL1 fusion protein

UniProt Accession Number of Target Protein:

Published Application(s): IP, WB, IF, IHC

Published Species Reactivity: Human

Immunogen: Murine antibodies were produced by immunising BALB/c mice with residues 686-696 (SSINEEITPRRQS) of human BCR fused to thyroglobulin. Hybridomas were generated by fusion of immunised cells with the myeloma cell line P3X63Ag8 via established methods.

Specificity: This antibody is specific for the SSINEEITPRRQS epitope of BCR (residues 686-696), and as such is able to recognise full-length BCR and the p210 form of the BCR-ABL fusion protein. p210 BCR-ABL is a cytogenetic marker of chronic myelogenous leukaemia, resulting from gross chromosomal translocation resulting in the 'Philadelphia chromosome'. The fusion protein is a constitutively active tyrosine kinase, causing deregulated downstream signalling and increasing likelihood of oncogenic transformation.

Application Notes: It has been shown by Western blot that 7c6 binds wildtype, full-length BCR and the p210 BCR-ABL fusion protein.

Antibody First Published in: Dhut et al. Identification of two normal bcr gene products in the cytoplasm. Oncogene. 1988 Nov;3(5):561-6 [PMID:3078961](https://pubmed.ncbi.nlm.nih.gov/3078961/)

Note on publication: Describes the production of 7c6 using a synthetic BCR peptide (corresponding to residues 686-696) and the subsequent use of the antibody in detecting normal BCR and various BCR-ABL fusion gene products.

Product Form

Size: 200 µg Purified antibody.

Purification: Protein A affinity purified

Supplied In: PBS with 0.02% Proclin 300.

Storage Recommendation: Store at 4°C for up to 3 months. For longer storage, aliquot and store at -20°C.

Concentration: 1 mg/ml.

Important note - This product is for research use only. It is not intended for use in therapeutic or diagnostic procedures for humans or animals.