



# SZABO SCANDIC

Part of Europa Biosite

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!  
See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

[mail@szabo-scandic.com](mailto:mail@szabo-scandic.com)

[www.szabo-scandic.com](http://www.szabo-scandic.com)

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

## Anti-BORIS [20B11] Bulk Size Ab00825-10.3-BT

This antibody was created using our proprietary Fc Silent™ engineered Fc domain containing key point mutations that abrogate binding to Fc gamma receptors. Developed in partnership with Ximbio ([www.ximbio.com](http://www.ximbio.com)).

This chimeric human antibody was made using the variable domain sequences of the original Mouse IgG3 format, for improved compatibility with existing reagents, assays and techniques.

**Isotype and Format:** Human IgG1, Fc Silent™, Kappa

**Clone Number:** 20B11

**Alternative Name(s) of Target:** CT27; Brother of the regulator of imprinted sites; Cancer/testis antigen 27; CCCTC binding factor (zinc finger protein) like; CCCTC-binding factor; CTCF paralog; CTCF T; CTCF-like protein; Ctcfl; CTCFL\_HUMAN; dj579F20.2; HMG 1L1; HMGB1L1; MGC163358; MGC169105; MGC169106; CTCFL

**UniProt Accession Number of Target Protein:** Q8NI51

**Published Application(s):** CHIP, IP, WB, ELISA, IF, IHC

**Published Species Reactivity:** Human

**Immunogen:** Synthetic peptide within the BORIS C-terminal domain (aa 614-648) (CG)GEMFPVACRETTARVKEE (NB - the first two aa do not belong to BORIS)

**Specificity:** 20B11 reacts specifically with BORIS.

**Application Notes:** Reagent for research, diagnostic tool. BORIS protein has been identified as Cancer-Testis Antigen (CTA) with testis-specific paralogue of the CCCTC-binding factor. Recent studies have demonstrated that d BORIS is directly responsible for the transcriptional activation of TSP50 (testes-specific protease 50)

**Antibody First Published in:** [PMID:](#)

**Note on publication:**

## Product Form

**Size:** 1 mg Purified antibody in bulk size.

**Purification:** Protein A affinity purified

**Supplied In:** PBS only.

**Storage Recommendation:** Store at 4°C for up to 3 months. Note, this antibody is provided without added

preservatives, it is therefore recommended this antibody be handled under sterile conditions. For longer storage, aliquot and store at -20°C.

**Concentration:** 1 mg/ml.

Important note - This product is for research use only. It is not intended for use in therapeutic or diagnostic procedures for humans or animals.