



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Anti-IgNAR [GA8] Standard Size Ab01553-23.0

This chimeric rabbit antibody was made using the variable domain sequences of the original Mouse IgG2a format, for improved compatibility with existing reagents, assays and techniques.

Isotype and Format: Rabbit IgG, Kappa

Clone Number: GA8

Alternative Name(s) of Target: Shark HC antibody; Immunoglobulin new antigen receptor; immunoglobulin novel antigen receptor; novel antigen receptor; NAR; Q8AXH5; Q90544

UniProt Accession Number of Target Protein: P83977

Published Application(s): IP, ELISA, IHC

Published Species Reactivity: Elasmobranch

Immunogen: This antibody was raised by immunising mice with nurse shark IgNAR.

Specificity: This antibody is specific for IgNAR, an Ig heavy chain isotype specific to elasmobranchs, and reacts with an epitope in the constant domain. This anti-nurse shark IgNAR antibody has been shown to cross-react with spiny dogfish IgNAR.

Application Notes: This antibody immunoprecipitates IgNAR from both nurse shark and spiny dogfish plasma (Smith et al, 2012), and from serum and yolk extracts from mature unfertilized nurse shark eggs (Haines et al, 2005). This antibody has been used in immunohistochemical analysis of IgNAR expression in frozen sections of nurse shark spleen, to identify its cellular organisation (Rumfelt et al, 2002). This antibody has been used in ELISA analysis to measure plasma titres of IgNAR following spiny dogfish immunisation with human serum albumin (Muller et al, 2012) and nurse shark immunisation with human and murine induced costimulatory ligand (Kovaleva et al, 2017) and with recombinant human TNF- α (Ubah et al, 2017).

Antibody First Published in: Rumfelt et al. The Development of Primary and Secondary Lymphoid Tissues in the Nurse Shark *Ginglymostoma cirratum*: B-Cell Zones Precede Dendritic Cell Immigration and T-Cell Zone Formation During Ontogeny of the Spleen *Scand J Immunol.* 2002 Aug;56(2):130-48.

[PMID:12121433](#)

Note on publication: Describes the original use of this antibody in immunohistochemical analysis.

Product Form

Size: 200 µg Purified antibody.

Purification:

Protein A affinity purified

Supplied In: PBS with 0.02% Proclin 300.

Storage Recommendation: Store at 4°C for up to 3 months. For longer storage, aliquot and store at -20°C.

Concentration: 1 mg/ml.

Important note - This product is for research use only. It is not intended for use in therapeutic or diagnostic procedures for humans or animals.