

# Produktinformation



Forschungsprodukte & Biochemikalien
Zellkultur & Verbrauchsmaterial
Diagnostik & molekulare Diagnostik
Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



Lieferung & Zahlungsart siehe unsere Liefer- und Versandbedingungen

### Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien T. +43(0)1 489 3961-0 F. +43(0)1 489 3961-7 <u>mail@szabo-scandic.com</u> www.szabo-scandic.com



Anti-CART [AH36] Bulk Size, 1 mg, Ab03748-10.3-BT View online

## Anti-CART [AH36] Bulk Size Ab03748-10.3-BT

This antibody was created using our proprietary Fc Silent<sup>™</sup> engineered Fc domain containing key point mutations that abrogate binding to Fc gamma receptors.

This is a reformatted human IgG1 Fc Silent Fc Silent<sup>™</sup> antibody, based on the original human scFv format, created for improved compatibility with existing reagents, assays and techniques.

Isotype and Format: Human IgG1, Fc Silent<sup>™</sup>, Kappa Clone Number: AH36 Alternative Name(s) of Target: CARTPT; Cocaine-amphetamine regulated transcript peptide; neurotransmitter UniProt Accession Number of Target Protein:

Published Application(s): in vivo, ELISA

Published Species Reactivity: Species independent

#### Immunogen:

**Specificity:** This antibody specifically binds cocaine-amphetamine regulated transcript peptide also known as CART, which is a widely distributed neurotransmitter expressed in the central nervous systems. Studies have shown the role of CART in food intake, maintenance of bodyweight, stress control, reward and pain transmission. Repeated administration of psychostimulants enhances expression of CART peptide. Nucleus accumbal-injected CART peptide plays a positive role in the regulation of behavioral sensitization induced by psychostimulants and regulated the mesocorticolimbic dopaminergic pathway. CART peptide also exerted an inhibitory effect on psychostimulant-enhanced dopamine receptors signaling, Ca2+/calmodulin-dependent kinase signaling and crucial transcription factors expression.

**Application Notes:** The binding reactivity of this antibody to CART was checked using ELISA. The in-vivo administration of this antibody in mice had no effects on the normal spontaneous activities of the animal. However, when mice were given this antibody intraperitoneally before administration of cocaine, it inhibited the expression of cocaine-induced animal behavioral sensitization (CN101280016). This antibody is recommended for studies relating to treatment of drug addiction.

Antibody First Published in: PMID:

Note on publication:

### **Product Form**

Size: 1 mg Purified antibody in bulk size.Purification: Protein A affinity purifiedSupplied In: PBS only.

**Storage Recommendation:** Store at 4°C for up to 3 months. Note, this antibody is provided without added preservatives, it is therefore recommed this antibody be handled under sterile conditions. For longer storage, aliquot and store at -20°C.

**Concentration:** 1 mg/ml.

Important note – This product is for research use only. It is not intended for use in therapeutic or diagnostic procedures for humans or animals.