

Produktinformation



Forschungsprodukte & Biochemikalien
Zellkultur & Verbrauchsmaterial
Diagnostik & molekulare Diagnostik
Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



Lieferung & Zahlungsart siehe unsere Liefer- und Versandbedingungen

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien T. +43(0)1 489 3961-0 F. +43(0)1 489 3961-7 <u>mail@szabo-scandic.com</u> www.szabo-scandic.com



Anti-SIRP alpha [12G6] Bulk Size, 1 mg, Ab03881-3.3-BT View online

Anti-SIRP alpha [12G6] Bulk Size Ab03881-3.3-BT

This antibody was created using our proprietary Fc Silent[™] engineered Fc domain containing key point mutations that abrogate binding to Fc gamma receptors.

This is a reformatted mouse IgG2b Fc Silent[™] antibody, based on the original mouse IgG2b format, created for improved compatibility with existing reagents, assays and techniques.

Isotype and Format: Mouse IgG2b, Fc Silent[™], Kappa

Clone Number: 12G6

Alternative Name(s) of Target: CD172a; SIRPα; SIRPA; Signal regulatory protein α; Signal regulatory protein alpha; Tyrosine-protein phosphatase non-receptor type substrate 1; SHP substrate 1; SHPS-1; Brain Ig-like molecule with tyrosine-based activation motifs; Bit; CD172 antigen-like family member A; Inhibitory receptor SHPS-1; Macrophage fusion receptor; MyD-1 antigen; Signal-regulatory protein alpha-1; Sirp-alpha-1; Signal-regulatory protein alpha-3; Sirp-alpha-3; p84

UniProt Accession Number of Target Protein: P78324

Published Application(s): Block, ELISA, FC

Published Species Reactivity: Human, Cynomolgus Monkey

Immunogen: The original antibody was generated by immunizing BALB/c mice with recombinant human SIRP α -hFc fusion protein.

Specificity: This antibody binds human and cynomolgus monkey SIRP alpha, which is a regulatory membrane glycoprotein and an immunoglobulin-like cell surface receptor for CD47. This protein plays a key role in intracellular signaling during synaptogenesis and in synaptic function. Cancer cells highly express CD47 that activates SIRPα and inhibit macrophage-mediated destruction.

Application Notes: The binding reactivity of this antibody towards recombinant human SIRPα-his fusion protein was checked using ELISA. Flow cytometry was used to detect the binding of the antibody to SIRPα on the membrane of human and cynomolgus monkey SIRPα overexpressed cells. This antibody binds cynomolgus monkey SIRPα with a weaker binding affinity than human SIRPα. This antibody can effectively block the binding of CD47 protein to cell surface SIRPα (CN110734897).

Antibody First Published in: PMID:

Note on publication:

Product Form

Size: 1 mg Purified antibody in bulk size.Purification: Protein A affinity purifiedSupplied In: PBS only.

Storage Recommendation: Store at 4°C for up to 3 months. Note, this antibody is provided without added preservatives, it is therefore recommed this antibody be handled under sterile conditions. For longer storage, aliquot and store at -20°C.

Concentration: 1 mg/ml.

Important note – This product is for research use only. It is not intended for use in therapeutic or diagnostic procedures for humans or animals.