



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Anti-Podocalyxin [mAb 2A4] Standard Size Ab04024-10.3

This antibody was created using our proprietary Fc Silent™ engineered Fc domain containing key point mutations that abrogate binding to Fc gamma receptors.

This is a reformatted human IgG1 Fc Silent Fc Silent™ antibody, based on the original human IgG1 format, created for improved compatibility with existing reagents, assays and techniques.

Isotype and Format: Human IgG1, Fc Silent™, Kappa

Clone Number: mAb 2A4

Alternative Name(s) of Target: PC; PCLP-1; GCTM-2 antigen; Gp200; Podocalyxin-like protein 1; 2A4

UniProt Accession Number of Target Protein: O00592

Published Application(s): IP, WB, IF, IHC

Published Species Reactivity: Rabbit, Rat, Human

Immunogen: The original antibody was generated by immunizing BALB/C mice with purified human podocalyxin-glutathione S-transferase (GST) fusion protein containing the intracellular, transmembrane, and a part of the extracellular domain of human PCLP.

Specificity: The antibody is specific for human podocalyxin. The epitope recognized by the antibody is located on the intracellular domain of podocalyxin. Podocalyxin, a sialoglycoprotein, is thought to be the major constituent of the glycocalyx of podocytes in the glomerulus (Bowman's capsule) in the kidneys. It is a member of the CD34 family of transmembrane sialomucins.

Application Notes: The antibody recognized rabbit PCLP1 in human renal cortical sections on immunofluorescence. The antibody detected PCLP by western blot analysis. The antibody recognized and immunoprecipitated rat podocalyxin (Kershaw et al., 1997; PMID: 9188463). The antibody detected PCLP in HEV of tonsil by immunofluorescence analysis. The antibody stained HEV of paraffin-embedded samples of lymph node and appendix by immunohistochemistry (Sasseti et al., 1998; PMID: 9625756).

Antibody First Published in: Kershaw et al. Molecular cloning and characterization of human podocalyxin-like protein. Orthologous relationship to rabbit PCLP1 and rat podocalyxin. J Biol Chem. 1997 Jun 20;272(25):15708-14. doi: 10.1074/jbc.272.25.15708. PMID:9188463

Note on publication: The original paper describes the generation and characterization of the original antibody.

Product Form

Size: 100 µg Purified antibody.

Purification: Protein A affinity purified

Supplied In: PBS with 0.02% Proclin 300.

Storage Recommendation: Store at 4°C for up to 3 months. For longer storage, aliquot and store at -20°C.

Concentration: 1 mg/ml.

Important note - This product is for research use only. It is not intended for use in therapeutic or diagnostic procedures for humans or animals.