

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere Liefer- und Versandbedingungen

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

linkedin.com/company/szaboscandic in





AKT1 & SMAD4 Protein Protein Interaction Antibody Pair

Catalog #: DI0011 規格:[1 Set]

List All

Specification

Product Description:


This protein protein interaction antibody pair set comes with two antibodies to detect the protein-protein interaction, one against the AKT1 protein, and the other against the SMAD4 protein for use in *in situ* Proximity Ligation Assay. See Publication Reference below.

Application Image


In situ Proximity Ligation Assay (Cell)




 Incubate with target primary antibodies




2. Add PLA probes PLUS and MINUS



 Hybridize connector oligos



 Ligation to form a complete DNA circle



Rolling circle amplification




Add fluorescent probes
to reveal interaction

Reactivity:

Human

Quality Contro

Quality Control Protein protein interaction immunofluorescence result.



Representative image of Proximity Ligation Assay of protein-protein interactions between AKT1 and SMAD4. Huh7 cells were stained with anti-AKT1 rabbit purified polyclonal antibody 1:1200 and anti-SMAD4 mouse monoclonal antibody 1:50. Each red dot represents the detection of protein-protein interaction complex. The images were analyzed using an optimized freeware (BlobFinder) download from The Centre for Image Analysis at Uppsala University.

Supplied Product:

Antibody pair set content:

- 1. AKT1 rabbit purified polyclonal antibody (20 ug)
- 2. SMAD4 mouse monoclonal antibody (40 ug)

*Reagents are sufficient for at least 30-50 assays using recommended protocols.

Storage Instruction:

Store reagents of the antibody pair set at -20°C or lower. Please aliquot to avoid repeated freeze thaw cycle. Reagents should be returned to -

MSDS:

<u>m</u>Download

Publication Reference

1. An analysis of protein-protein interactions in cross-talk pathways reveals CRKL as a novel prognostic marker in hepatocellular carcinoma. Liu CH, Chen TC, Chau GY, Jan YH, Chen CH, Hsu CN, Lin KT, Juang YL, Lu PJ, Cheng HC, Chen MH, Chang CF, Ting YS, Kao CY, Hsiao M, Huang CY. Mol Cell Proteomics. 2013 Feb 8. [Epub ahead of print]

Applications

In situ Proximity Ligation Assay (Cell)

AKT1 SMAD4

Gene Information

Entrez GeneID: 207

Gene Name: AKT1

Gene Alias: AKT,MGC99656,PKB,PKB-ALPHA,PRKBA,RAC,RAC-ALPHA

v-akt murine thymoma viral oncogene homolog 1 Gene

Description:

Omim ID: <u>164730</u>, <u>181500</u>

Gene Ontology: Hyperlink

Gene Summary: The serine-threonine protein kinase encoded by the AKT1 gene is

catalytically inactive in serum-starved primary and immortalized fibroblasts. AKT1 and the related AKT2 are activated by platelet-derived growth factor. The activation is rapid and specific, and it is abrogated by mutations in the pleckstrin homology domain of AKT1. It was shown that the activation occurs through phosphatidylinositol 3-kinase. In the developing nervous system AKT is a critical mediator of growth factorinduced neuronal survival. Survival factors can suppress apoptosis in a transcription-independent manner by activating the serine/threonine kinase AKT1, which then phosphorylates and inactivates components of the apoptotic machinery. Multiple alternatively spliced transcript variants

have been found for this gene. [provided by RefSeq

RAC-alpha serine/threonine-protein kinase, murine thymoma viral (v-akt) Other

Designations: oncogene homolog-1, protein kinase B, rac protein kinase alpha

Gene Information

Entrez GenelD: 4089

Gene Name: SMAD4

Gene Alias: DPC4,JIP,MADH4

SMAD family member 4 Gene

Description:

Omim ID: <u>174900</u>, <u>175050</u>, <u>600993</u>

Gene Ontology: Hyperlink


MAD, mothers against decapentaplegic homolog

4,OTTHUMP00000163548,SMAD, mothers against DPP homolog Designations:


> 2016/5/19 Page 2 of 4

4,deleted in pancreatic carcinoma locus 4,mothers against decapentaplegic homolog 4,mothers against decapentaplegic, Drosophila, homolog of, 4

Interactome 1



Interactome 2



Page 3 of 4 2016/5/19

Page 4 of 4 2016/5/19