

# Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



## Lieferung & Zahlungsart

siehe unsere Liefer- und Versandbedingungen

## Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

## SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

linkedin.com/company/szaboscandic in





## PLK1 & PKMYT1 Protein Protein Interaction Antibody Pair

Catalog #: DI0012 規格:[1 Set]

#### List All

#### **Specification**

### **Product Description:**

This protein protein interaction antibody pair set comes with two antibodies to detect the protein-protein interaction, one against the PLK1 protein, and the other against the PKMYT1 protein for use in *in* situ Proximity Ligation Assay. See Publication Reference below.

## **Application Image**


In situ Proximity Ligation Assay (Cell)




1. Incubate with target primary antibodies



2. Add PLA probes PLUS and MINUS



3. Hybridize connector oligos



4. Ligation to form a complete DNA circle



5. Rolling circle amplification




6. Add fluorescent probes to reveal interaction

Reactivity:

Human

Quality Control Protein protein interaction immunofluorescence result.

Testing:



Representative image of Proximity Ligation Assay of protein-protein interactions between PLK1 and PKMYT1. Huh7 cells were stained with anti-PLK1 rabbit purified polyclonal antibody 1:1200 and anti-PKMYT1 mouse monoclonal antibody 1:50. Each red dot represents the detection of protein-protein interaction complex. The images were analyzed using an optimized freeware (BlobFinder) download from The Centre for Image Analysis at Uppsala University.

#### Supplied **Product:**

Antibody pair set content:

- 1. PLK1 rabbit purified polyclonal antibody (20 ug)
- 2. PKMYT1 mouse monoclonal antibody (40 ug)

\*Reagents are sufficient for at least 30-50 assays using recommended protocols.

**Storage** Instruction:

Store reagents of the antibody pair set at -20°C or lower. Please aliquot to avoid repeated freeze thaw cycle. Reagents should be returned to -

#### 20°C storage immediately after use.

MSDS:

<u>Marian</u> Download

#### **Publication Reference**

 An analysis of protein-protein interactions in cross-talk pathways reveals CRKL as a novel prognostic marker in hepatocellular carcinoma.
Liu CH, Chen TC, Chau GY, Jan YH, Chen CH, Hsu CN, Lin KT, Juang YL, Lu PJ, Cheng HC, Chen MH, Chang CF, Ting YS, Kao CY, Hsiao M, Huang CY. Mol Cell Proteomics. 2013 Feb 8. [Epub ahead of print]

#### **Applications**

In situ Proximity Ligation Assay (Cell)

PLK1 PKMYT1

**Gene Information** 

Entrez GeneID: 5347

Gene Name: PLK1

Gene Alias: PLK,STPK13

Gene polo-like kinase 1 (Drosophila)

**Description:** 

Omim ID: 602098

Gene Ontology: Hyperlink

Other cell cycle regulated protein kinase,polo (Drosophia)-like kinase,polo like

Designations: kinase,polo-like kinase

**Gene Information** 

Entrez GeneID: 9088

Gene Name: PKMYT1

Gene Alias: DKFZp547K1610,FLJ20093,MYT1

**Gene** protein kinase, membrane associated tyrosine/threonine 1

**Description:** 

Omim ID: <u>602474</u>

Gene Ontology: Hyperlink

**Gene Summary:** The protein encoded by this gene is a member of the serine/threonine

protein kinase family. This kinase preferentially phosphorylates and inactivates cell division cycle 2 protein (CDC2), and thus negatively regulates cell cycle G2/M transition. This kinase is associated with the membrane throughout the cell cycle. Its activity is highly regulated during the cell cycle. Protein kinases AKT1/PKB and PLK (Polo-like kinase) have been shown to phosphorylate and regulate the activity of this kinase. Alternatively spliced transcript variants encoding distinct


isoforms have been reported. [provided by RefSeq


Other membrane-associated tyrosine- and threonine-specific cdc2-inhibitory

Designations: kinase, protein kinase Myt1

Interactome 1

Page 2 of 3 2016/5/19





服務條款 | 隱私權政策 | 著作及商標 | 網站地圖

©2016 亞諾法生技股份有限公司 Abnova Corporation. 版權所有.

Page 3 of 3 2016/5/19