

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere Liefer- und Versandbedingungen

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

linkedin.com/company/szaboscandic in





CASP3 & AKT3 Protein Protein Interaction Antibody Pair

Catalog #: DI0049 規格:[1 Set]

List All

Specification

Product Description:

This protein protein interaction antibody pair set comes with two antibodies to detect the protein-protein interaction, one against the CASP3 protein, and the other against the AKT3 protein for use in *in situ* Proximity Ligation Assay. See Publication Reference below.

Application Image

In situ Proximity Ligation Assay (Cell)




1. Incubate with target primary antibodies



2. Add PLA probes PLUS and MINUS



3. Hybridize connector oligos



4. Ligation to form a complete DNA circle



5. Rolling circle amplification




6. Add fluorescent probes to reveal interaction

Reactivity:

Human

Quality Control Protein protein interaction immunofluorescence result.

Testing:



Representative image of Proximity Ligation Assay of protein-protein interactions between CASP3 and AKT3. HeLa cells were stained with anti-CASP3 rabbit purified polyclonal antibody 1:1200 and anti-AKT3 mouse monoclonal antibody 1:50. Each red dot represents the detection of protein-protein interaction complex. The images were analyzed using an optimized freeware (BlobFinder) download from The Centre for Image Analysis at Uppsala University.

Supplied **Product:**

Antibody pair set content:

- 1. CASP3 rabbit purified polyclonal antibody (20 ug)
- 2. AKT3 mouse monoclonal antibody (40 ug)

*Reagents are sufficient for at least 30-50 assays using recommended protocols.

Storage Instruction:

Store reagents of the antibody pair set at -20°C or lower. Please aliquot to avoid repeated freeze thaw cycle. Reagents should be returned to -

20°C storage immediately after use.

MSDS:

Download

Publication Reference

 An analysis of protein-protein interactions in cross-talk pathways reveals CRKL as a novel prognostic marker in hepatocellular carcinoma.
Liu CH, Chen TC, Chau GY, Jan YH, Chen CH, Hsu CN, Lin KT, Juang YL, Lu PJ, Cheng HC, Chen MH, Chang CF, Ting YS, Kao CY, Hsiao M, Huang CY. Mol Cell

Proteomics. 2013 Feb 8. [Epub ahead of print]

Applications

In situ Proximity Ligation Assay (Cell)

CASP3 AKT3

Gene Information

Entrez GeneID: 836

Gene Name: CASP3

Gene Alias: CPP32,CPP32B,SCA-1

Gene caspase 3, apoptosis-related cysteine peptidase

Description:

Omim ID: 600636

Gene Ontology: Hyperlink

Gene Summary: This gene encodes a protein which is a member of the cysteine-aspartic

acid protease (caspase) family. Sequential activation of caspases plays a central role in the execution-phase of cell apoptosis. Caspases exist as inactive proenzymes which undergo proteolytic processing at conserved aspartic residues to produce two subunits, large and small, that dimerize to form the active enzyme. This protein cleaves and activates caspases 6, 7 and 9, and the protein itself is processed by caspases 8, 9 and 10. It is the predominant caspase involved in the cleavage of amyloid-beta 4A precursor protein, which is associated with neuronal death in Alzheimer's disease. Alternative splicing of this gene results in two transcript variants that encode the same protein.

[provided by RefSeq

Other OTTHUMP00000165054,PARP cleavage protease,SREBP cleavage

Designations: activity 1, Yama, apopain, caspase 3, caspase 3, apoptosis-related

cysteine protease, cysteine protease CPP32, procaspase3

Gene Information

Entrez GeneID: 10000

Gene Name: AKT3

Gene Alias: DKFZp434N0250,PKB-GAMMA,PKBG,PRKBG,RAC-PK-gamma,RAC-

gamma, STK-2

Gene v-akt murine thymoma viral oncogene homolog 3 (protein kinase B,

Description: gamma)

Omim ID: <u>611223</u>


Gene Ontology: Hyperlink

Page 2 of 4 2016/5/19

Gene Summary: The protein encoded by this gene is a member of the AKT, also called PKB, serine/threonine protein kinase family. AKT kinases are known to be regulators of cell signaling in response to insulin and growth factors. They are involved in a wide variety of biological processes including cell proliferation, differentiation, apoptosis, tumorigenesis, as well as glycogen synthesis and glucose uptake. This kinase has been shown to be stimulated by platelet-derived growth factor (PDGF), insulin, and insulin-like growth factor 1 (IGF1). Alternatively splice transcript variants encoding distinct isoforms have been described. [provided by RefSeq


Other Designations: OTTHUMP00000037911,OTTHUMP00000037912,RAC-gamma serine/threonine protein kinase, protein kinase B gamma, serine threonine protein kinase, Akt-3,v-akt murine thymoma viral oncogene homolog 3

Interactome 1



Interactome 2

2016/5/19 Page 3 of 4



服務條款 | 隱私權政策 | 著作及商標 | 網站地圖

©2016 亞諾法生技股份有限公司 Abnova Corporation. 版權所有.

Page 4 of 4 2016/5/19