

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere Liefer- und Versandbedingungen

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

linkedin.com/company/szaboscandic in





NUMB & APP Protein Protein Interaction Antibody Pair

Catalog #: DI0060 規格:[1 Set]

List All

Specification

Product Description:

This protein protein interaction antibody pair set comes with two antibodies to detect the protein-protein interaction, one against the NUMB protein, and the other against the APP protein for use in *in situ* Proximity Ligation Assay. See Publication Reference below.

Application Image


In situ Proximity Ligation Assay (Cell)




1. Incubate with target primary antibodies



2. Add PLA probes PLUS and MINUS



3. Hybridize connector oligos



4. Ligation to form a complete DNA circle



5. Rolling circle amplification




6. Add fluorescent probes to reveal interaction

Reactivity:

Human

Quality Control Protein protein interaction immunofluorescence result.

Testing:



Representative image of Proximity Ligation Assay of protein-protein interactions between NUMB and APP. HeLa cells were stained with anti-NUMB rabbit purified polyclonal antibody 1:1200 and anti-APP mouse monoclonal antibody 1:50. Each red dot represents the detection of protein-protein interaction complex. The images were analyzed using an optimized freeware (BlobFinder) download from The Centre for Image Analysis at Uppsala University.

Supplied **Product:**

Antibody pair set content:

- 1. NUMB rabbit purified polyclonal antibody (20 ug)
- 2. APP mouse monoclonal antibody (40 ug)

*Reagents are sufficient for at least 30-50 assays using recommended protocols.

Storage Instruction:

Store reagents of the antibody pair set at -20°C or lower. Please aliquot to avoid repeated freeze thaw cycle. Reagents should be returned to -



Publication Reference

 An analysis of protein-protein interactions in cross-talk pathways reveals CRKL as a novel prognostic marker in hepatocellular carcinoma.
Liu CH, Chen TC, Chau GY, Jan YH, Chen CH, Hsu CN, Lin KT, Juang YL, Lu PJ, Cheng HC, Chen MH, Chang CF, Ting YS, Kao CY, Hsiao M, Huang CY. Mol Cell Proteomics. 2013 Feb 8. [Epub ahead of print]

Applications

In situ Proximity Ligation Assay (Cell)

APP NUMB

Gene Information

Entrez GeneID: 8650

Gene Name: NUMB

Gene Alias: S171

Gene numb homolog (Drosophila)

Description:

Omim ID: 603728

Gene Ontology: Hyperlink

Gene Summary: The protein encoded by this gene plays a role in the determination of

cell fates during development. The encoded protein, whose degradation is induced in a proteasome-dependent manner by MDM2, is a membrane-bound protein that has been shown to associate with EPS15, LNX1, and NOTCH1. Four transcript variants encoding different

isoforms have been found for this gene. [provided by RefSeq

Other numb homolog

Designations:

Gene Information

Entrez GeneID: 351

Gene Name: APP

Gene Alias: AAA,ABETA,ABPP,AD1,APPI,CTFgamma,CVAP,PN2

Gene amyloid beta (A4) precursor protein **Description:**

•

Omim ID: <u>104760</u>, <u>605714</u>

Gene Ontology: Hyperlink

Gene Summary: This gene encodes a cell surface receptor and transmembrane

precursor protein that is cleaved by secretases to form a number of peptides. Some of these peptides are secreted and can bind to the acetyltransferase complex APBB1/TIP60 to promote transcriptional activation, while others form the protein basis of the amyloid plaques found in the brains of patients with Alzheimer disease. Mutations in this gene have been implicated in autosomal dominant Alzheimer disease and cerebroarterial amyloidosis (cerebral amyloid angiopathy). Multiple


Page 2 of 4 2016/5/19

transcript variants encoding several different isoforms have been found for this gene. [provided by RefSeq


Other Designations:

A4 amyloid protein,amyloid beta A4 protein,amyloid-beta protein,beta-amyloid peptide,cerebral vascular amyloid peptide,peptidase nexin-II,protease nexin-II

Interactome 1



Interactome 2



Page 3 of 4 2016/5/19

服務條款 | 隱私權政策 | 著作及商標 | 網站地圖

©2016 亞諾法生技股份有限公司 Abnova Corporation. 版權所有.

Page 4 of 4 2016/5/19