

# Produktinformation



Forschungsprodukte & Biochemikalien
Zellkultur & Verbrauchsmaterial
Diagnostik & molekulare Diagnostik
Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



Lieferung & Zahlungsart siehe unsere Liefer- und Versandbedingungen

## Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien T. +43(0)1 489 3961-0 F. +43(0)1 489 3961-7 <u>mail@szabo-scandic.com</u> www.szabo-scandic.com




#### TP53 & CSNK1D Protein Protein Interaction Antibody Pair

Catalog #: DI0130

規格:[1Set]

List All




**Reactivity:** 

Human

Quality Control Protein protein interaction immunofluorescence result.

Testing:




Representative image of Proximity Ligation Assay of protein-protein interactions between TP53 and CSNK1D. HeLa cells were stained with anti-TP53 rabbit purified polyclonal antibody 1:1200 and anti-CSNK1D mouse monoclonal antibody 1:50. Each red dot represents the detection of protein-protein interaction complex. The images were analyzed using an optimized freeware (BlobFinder) download from The Centre for Image Analysis at Uppsala University.

Supplied Product:	Antibody pair set content: 1. TP53 rabbit purified polyclonal antibody (20 ug) 2. CSNK1D mouse monoclonal antibody (40 ug) *Reagents are sufficient for at least 30-50 assays using recommended protocols.
Storage Instruction:	Store reagents of the antibody pair set at -20°C or lower. Please aliquot to avoid repeated freeze thaw cycle. Reagents should be returned to -

	20°C storage immediately after use.
MSDS:	Download
Publication Re	ference
novel progne Liu CH, Che Cheng HC, ( Proteomics.	of protein-protein interactions in cross-talk pathways reveals CRKL as a ostic marker in hepatocellular carcinoma. n TC, Chau GY, Jan YH, Chen CH, Hsu CN, Lin KT, Juang YL, Lu PJ, Chen MH, Chang CF, Ting YS, Kao CY, Hsiao M, Huang CY. Mol Cell 2013 Feb 8. [Epub ahead of print]
Applications	hulination Accour(Coll)
	ty Ligation Assay (Cell)
CSNK1D TP53	
Gene Informat	ion
Entrez GenelD	): <u>7157</u>
Gene Name:	TP53
Gene Alias:	FLJ92943,LFS1,TRP53,p53
Gene Description:	tumor protein p53
Omim ID:	<u>114480, 114500, 114550, 151623, 161550, 191170, 202300, 260350</u>
Gene Ontolog	y: <u>Hyperlink</u>
Gene Summar	<b>y:</b> This gene encodes tumor protein p53, which responds to diverse cellular stresses to regulate target genes that induce cell cycle arrest, apoptosis, senescence, DNA repair, or changes in metabolism. p53 protein is expressed at low level in normal cells and at a high level in a variety of transformed cell lines, where it's believed to contribute to transformation and malignancy. p53 is a DNA-binding protein containing transcription activation, DNA-binding, and oligomerization domains. It is postulated to bind to a p53-binding site and activate expression of downstream genes that inhibit growth and/or invasion, and thus function as a tumor suppressor. Mutants of p53 that frequently occur in a number of different human cancers fail to bind the consensus DNA binding site, and hence cause the loss of tumor suppressor activity. Alterations of this gene occur not only as somatic mutations in human malignancies, but also as germline mutations in some cancer-prone families with Li-Fraumeni syndrome. Multiple p53 variants due to alternative promoters and multiple alternative splicing have been found. These variants encode distinct isoforms, which can regulate p53 transcriptional activity. [provided by RefSeq
Other Designations:	p53 antigen,p53 transformation suppressor,p53 tumor suppressor,phosphoprotein p53,transformation-related protein 53
Gene Informat	ion
Entrez GenelD	): <u>1453</u>
Gene Name:	CSNK1D
Gene Alias:	HCKID
Gene Description:	casein kinase 1, delta

Omim ID:	<u>600864</u>
Gene Ontology:	Hyperlink
-	This gene is a member of the casein kinase I (CKI) gene family whose members have been implicated in the control of cytoplasmic and nuclear processes, including DNA replication and repair. The encoded protein is highly similar to the mouse and rat CK1 delta homologs. Two transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq
Other Designations:	-



#### Interactome 2



服務條款 | 隱私權政策 | 著作及商標 | 網站地圖 ©2016 亞諾法生技股份有限公司 Abnova Corporation. 版權所有.