

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



## Lieferung & Zahlungsart

siehe unsere Liefer- und Versandbedingungen

## Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

## SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

linkedin.com/company/szaboscandic in





### MAPK3 & DUSP9 Protein Protein Interaction Antibody Pair

Catalog #: DI0154 規格:[1 Set]

### List All

### **Specification**

# Product Description:

This protein protein interaction antibody pair set comes with two antibodies to detect the protein-protein interaction, one against the MAPK3 protein, and the other against the DUSP9 protein for use in *in situ* Proximity Ligation Assay. See Publication Reference below.

### Application Image


In situ Proximity Ligation Assay (Cell)




 Incubate with target primary antibodies




2. Add PLA probes PLUS and MINUS



 Hybridize connector oligos



 Ligation to form a complete DNA circle



5. Rolling circle amplification




Add fluorescent probes
to reveal interaction

Reactivity:

Human

## Quality Control Testing:

Quality Control Protein protein interaction immunofluorescence result.



Representative image of Proximity Ligation Assay of protein-protein interactions between MAPK3 and DUSP9. HeLa cells were stained with anti-MAPK3 rabbit purified polyclonal antibody 1:1200 and anti-DUSP9 mouse monoclonal antibody 1:50. Each red dot represents the detection of protein-protein interaction complex. The images were analyzed using an optimized freeware (BlobFinder) download from The Centre for Image Analysis at Uppsala University.

# Supplied Product:

Antibody pair set content:

- 1. MAPK3 rabbit purified polyclonal antibody (20 ug)
- 2. DUSP9 mouse monoclonal antibody (40 ug)

\*Reagents are sufficient for at least 30-50 assays using recommended protocols.

Storage Instruction: Store reagents of the antibody pair set at -20°C or lower. Please aliquot to avoid repeated freeze thaw cycle. Reagents should be returned to -

MSDS:

#### **Publication Reference**

 An analysis of protein-protein interactions in cross-talk pathways reveals CRKL as a novel prognostic marker in hepatocellular carcinoma.
Liu CH, Chen TC, Chau GY, Jan YH, Chen CH, Hsu CN, Lin KT, Juang YL, Lu PJ, Cheng HC, Chen MH, Chang CF, Ting YS, Kao CY, Hsiao M, Huang CY. Mol Cell Proteomics. 2013 Feb 8. [Epub ahead of print]

### **Applications**

In situ Proximity Ligation Assay (Cell)

DUSP9 MAPK3

### **Gene Information**

Entrez GenelD: 5595

Gene Name: MAPK3

Gene Alias: ERK1, HS44KDAP, HUMKER1A, MGC20180, P44ERK1, P44MAPK, PRKM3

Gene mitogen-activated protein kinase 3

**Description:** 

Omim ID: 601795

Gene Ontology: Hyperlink

Gene Summary: The protein encoded by this gene is a member of the MAP kinase

family. MAP kinases, also known as extracellular signal-regulated kinases (ERKs), act in a signaling cascade that regulates various cellular processes such as proliferation, differentiation, and cell cycle progression in response to a variety of extracellular signals. This kinase is activated by upstream kinases, resulting in its translocation to the nucleus where it phosphorylates nuclear targets. Alternatively spliced transcript variants encoding different protein isoforms have been

described. [provided by RefSeq

Other OTTHUMP00000174538,OTTHUMP00000174540,extracellular signal-

Designations: regulated kinase 1, extracellular signal-related kinase 1

### **Gene Information**

Entrez GeneID: 1852

Gene Name: DUSP9

Gene Alias: MKP-4,MKP4

Gene dual specificity phosphatase 9

Description:

Omim ID: 300134

Gene Ontology: Hyperlink

Gene Summary: The protein encoded by this gene is a member of the dual specificity

protein phosphatase subfamily. These phosphatases inactivate their target kinases by dephosphorylating both the phosphoserine/threonine and phosphotyrosine residues. They negatively regulate members of the mitogen-activated protein (MAP) kinase superfamily (MAPK/ERK,


Page 2 of 4 2016/5/19

SAPK/JNK, p38), which is associated with cellular proliferation and differentiation. Different members of the family of dual specificity phosphatases show distinct substrate specificities for various MAP kinases, different tissue distribution and subcellular localization, and different modes of inducibility of their expression by extracellular stimuli. This gene product shows selectivity for members of the ERK family of MAP kinases, is expressed only in placenta, kidney, and fetal liver, and is localized to the cytoplasm and nucleus. [provided by RefSeq


Other Designations:

OTTHUMP00000025951,OTTHUMP00000025953,map kinase phosphatase 4,serine/threonine specific protein phosphatase

### Interactome 1



### Interactome 2



Page 3 of 4 2016/5/19

Page 4 of 4 2016/5/19