

## Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



## Lieferung & Zahlungsart

siehe unsere Liefer- und Versandbedingungen

## Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

linkedin.com/company/szaboscandic in





### **AKT1 & EIF4EBP1 Protein Protein Interaction Antibody Pair**

**Catalog #**: DI0157 規格:[1 Set]

#### List All

### **Specification**

# Product Description:

This protein protein interaction antibody pair set comes with two antibodies to detect the protein-protein interaction, one against the AKT1 protein, and the other against the EIF4EBP1 protein for use in *in situ* Proximity Ligation Assay. See Publication Reference below.

### **Application Image**

In situ Proximity Ligation Assay (Cell)




 Incubate with target primary antibodies



2. Add PLA probes PLUS and MINUS



 Hybridize connector oligos



 Ligation to form a complete DNA circle



Rolling circle amplification




Add fluorescent probes
to reveal interaction

Reactivity:

Human

## Quality Contro

**Quality Control** Protein protein interaction immunofluorescence result.



Representative image of Proximity Ligation Assay of protein-protein interactions between AKT1 and EIF4EBP1. HeLa cells were stained with anti-AKT1 rabbit purified polyclonal antibody 1:1200 and anti-EIF4EBP1 mouse monoclonal antibody 1:50. Each red dot represents the detection of protein-protein interaction complex. The images were analyzed using an optimized freeware (BlobFinder) download from The Centre for Image Analysis at Uppsala University.

# Supplied Product:

Antibody pair set content:

- 1. AKT1 rabbit purified polyclonal antibody (20 ug)
- 2. EIF4EBP1 mouse monoclonal antibody (40 ug)

\*Reagents are sufficient for at least 30-50 assays using recommended protocols.

### Storage Instruction:

Store reagents of the antibody pair set at -20°C or lower. Please aliquot to avoid repeated freeze thaw cycle. Reagents should be returned to -



#### **Publication Reference**

 An analysis of protein-protein interactions in cross-talk pathways reveals CRKL as a novel prognostic marker in hepatocellular carcinoma.
Liu CH, Chen TC, Chau GY, Jan YH, Chen CH, Hsu CN, Lin KT, Juang YL, Lu PJ, Cheng HC, Chen MH, Chang CF, Ting YS, Kao CY, Hsiao M, Huang CY. Mol Cell Proteomics. 2013 Feb 8. [Epub ahead of print]

#### **Applications**

In situ Proximity Ligation Assay (Cell)

AKT1 EIF4EBP1

### **Gene Information**

Entrez GenelD: 207

Gene Name: AKT1

Gene Alias: AKT,MGC99656,PKB,PKB-ALPHA,PRKBA,RAC,RAC-ALPHA

Gene v-akt murine thymoma viral oncogene homolog 1

**Description:** 

Omim ID: <u>164730</u>, <u>181500</u>

Gene Ontology: Hyperlink

Gene Summary: The serine-threonine protein kinase encoded by the AKT1 gene is

catalytically inactive in serum-starved primary and immortalized fibroblasts. AKT1 and the related AKT2 are activated by platelet-derived growth factor. The activation is rapid and specific, and it is abrogated by mutations in the pleckstrin homology domain of AKT1. It was shown that the activation occurs through phosphatidylinositol 3-kinase. In the developing nervous system AKT is a critical mediator of growth factor-induced neuronal survival. Survival factors can suppress apoptosis in a transcription-independent manner by activating the serine/threonine kinase AKT1, which then phosphorylates and inactivates components of the apoptotic machinery. Multiple alternatively spliced transcript variants

have been found for this gene. [provided by RefSeq

Other RAC-alpha serine/threonine-protein kinase,murine thymoma viral (v-akt)

Designations: oncogene homolog-1, protein kinase B, rac protein kinase alpha

**Gene Information** 

Entrez GeneID: 1978

Gene Name: EIF4EBP1

Gene Alias: 4E-BP1,4EBP1,BP-1,MGC4316,PHAS-I

Gene eukaryotic translation initiation factor 4E binding protein 1

Description:

Omim ID: <u>602223</u>

Gene Ontology: Hyperlink

Gene Summary: This gene encodes one member of a family of translation repressor

proteins. The protein directly interacts with eukaryotic translation


Page 2 of 4 2016/5/19

initiation factor 4E (eIF4E), which is a limiting component of the multisubunit complex that recruits 40S ribosomal subunits to the 5' end of mRNAs. Interaction of this protein with eIF4E inhibits complex assembly and represses translation. This protein is phosphorylated in response to various signals including UV irradiation and insulin signaling, resulting in its dissociation from eIF4E and activation of mRNA translation. [provided by RefSeq

Other Designations:


eIF4E-binding protein 1,phosphorylated heat- and acid-stable protein regulated by insulin 1

#### Interactome 1



### Interactome 2

Page 3 of 4 2016/5/19



服務條款 | 隱私權政策 | 著作及商標 | 網站地圖

©2016 亞諾法生技股份有限公司 Abnova Corporation. 版權所有.

Page 4 of 4 2016/5/19