

# Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



## Lieferung & Zahlungsart

siehe unsere Liefer- und Versandbedingungen

## Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

## SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

linkedin.com/company/szaboscandic in





## **MAPK8 & FASLG Protein Protein Interaction Antibody Pair**

Catalog #: DI0191 規格:[1 Set]

#### List All

### **Specification**

# Product Description:


This protein protein interaction antibody pair set comes with two antibodies to detect the protein-protein interaction, one against the MAPK8 protein, and the other against the FASLG protein for use in *in situ* Proximity Ligation Assay. See Publication Reference below.

## Application Image


In situ Proximity Ligation Assay (Cell)




 Incubate with target primary antibodies



2. Add PLA probes PLUS and MINUS



 Hybridize connector oligos



 Ligation to form a complete DNA circle



5. Rolling circle amplification




Add fluorescent probes
to reveal interaction

Reactivity:

Human

# Quality Contro Testing:

Quality Control Protein protein interaction immunofluorescence result.



Representative image of Proximity Ligation Assay of protein-protein interactions between MAPK8 and FASLG. HeLa cells were stained with anti-MAPK8 rabbit purified polyclonal antibody 1:1200 and anti-FASLG mouse monoclonal antibody 1:50. Each red dot represents the detection of protein-protein interaction complex. The images were analyzed using an optimized freeware (BlobFinder) download from The Centre for Image Analysis at Uppsala University.

# Supplied Product:

Antibody pair set content:

- 1. MAPK8 rabbit purified polyclonal antibody (20 ug)
- 2. FASLG mouse monoclonal antibody (40 ug)

\*Reagents are sufficient for at least 30-50 assays using recommended protocols.

### Storage Instruction:

Store reagents of the antibody pair set at -20°C or lower. Please aliquot to avoid repeated freeze thaw cycle. Reagents should be returned to -

2016/5/19

20°C storage immediately after use.

MSDS:

**Download** 

#### **Publication Reference**

 An analysis of protein-protein interactions in cross-talk pathways reveals CRKL as a novel prognostic marker in hepatocellular carcinoma.
Liu CH, Chen TC, Chau GY, Jan YH, Chen CH, Hsu CN, Lin KT, Juang YL, Lu PJ, Cheng HC, Chen MH, Chang CF, Ting YS, Kao CY, Hsiao M, Huang CY. Mol Cell Proteomics. 2013 Feb 8. [Epub ahead of print]

#### **Applications**

In situ Proximity Ligation Assay (Cell)

FASLG MAPK8

#### **Gene Information**

Entrez GeneID: 5599

Gene Name: MAPK8

Gene Alias: JNK, JNK1, JNK1A2, JNK21B1/2, PRKM8, SAPK1

Gene mitogen-activated protein kinase 8

**Description:** 

Omim ID: <u>601158</u>

Gene Ontology: Hyperlink

Gene Summary: The protein encoded by this gene is a member of the MAP kinase

family. MAP kinases act as an integration point for multiple biochemical signals, and are involved in a wide variety of cellular processes such as proliferation, differentiation, transcription regulation and development. This kinase is activated by various cell stimuli, and targets specific transcription factors, and thus mediates immediate-early gene expression in response to cell stimuli. The activation of this kinase by tumor-necrosis factor alpha (TNF-alpha) is found to be required for TNF-alpha induced apoptosis. This kinase is also involved in UV radiation induced apoptosis, which is thought to be related to cytochrom c-mediated cell death pathway. Studies of the mouse counterpart of this gene suggested that this kinase play a key role in T cell proliferation, apoptosis and differentiation. Four alternatively spliced transcript variants encoding distinct isoforms have been reported. [provided by

RefSeq

Other Designations:

**Designations:** kinase,OTTHUMP00000019552,OTTHUMP00000019555,OTTHUMP000 00019556,OTTHUMP00000019558 c<sub>2</sub> lun Ntterminal kinase 1 mitogen-

00019556,OTTHUMP00000019558,c-Jun N-terminal kinase 1,mitogenactivated protein kinase 8 isoform JNK1 alpha1,mitogen-activated

JNK1 alpha protein kinase, JNK1 beta protein kinase, JUN N-terminal

protein

**Gene Information** 

Entrez GenelD: 356

Gene Name: FASLG

Gene Alias: APT1LG1,CD178,CD95L,FASL,TNFSF6

**Gene** Fas ligand (TNF superfamily, member 6)

Description:

Omim ID: <u>134638</u>, <u>152700</u>

Page 2 of 3 2016/5/19

Gene Ontology: Hyperlink

Gene Summary: The protein encoded by this gene is the ligand for FAS. Both are


transmembrane proteins. Interaction of FAS with this ligand is critical in triggering apoptosis of some types of cells such as lymphocytes. Defects in this gene may be related to some cases of systemic lupus

erythematosus (SLE). [provided by RefSeq


Other Designations:

CD95 ligand,OTTHUMP00000032708,apoptosis (APO-1) antigen ligand 1,fas ligand,tumor necrosis factor (ligand) superfamily, member 6

### Interactome 1



### Interactome 2



服務條款 | 隱私權政策 | 著作及商標 | 網站地圖

©2016 亞諾法生技股份有限公司 Abnova Corporation. 版權所有.

Page 3 of 3 2016/5/19