

# Produktinformation



Forschungsprodukte & Biochemikalien
Zellkultur & Verbrauchsmaterial
Diagnostik & molekulare Diagnostik
Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



Lieferung & Zahlungsart siehe unsere Liefer- und Versandbedingungen

## Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien T. +43(0)1 489 3961-0 F. +43(0)1 489 3961-7 <u>mail@szabo-scandic.com</u> www.szabo-scandic.com



#### FGFR1 & SOS1 Protein Protein Interaction Antibody Pair

Catalog # : DI0261

規格:[1Set]

List All



**Reactivity:** 

Human

Quality Control Protein protein interaction immunofluorescence result.

Testing:



	20°C storage immediately after use.
ISDS:	Download
1505.	
ublication Ref	
novel progno Liu CH, Chen Cheng HC, C	f protein-protein interactions in cross-talk pathways reveals CRKL as a stic marker in hepatocellular carcinoma. TC, Chau GY, Jan YH, Chen CH, Hsu CN, Lin KT, Juang YL, Lu PJ, hen MH, Chang CF, Ting YS, Kao CY, Hsiao M, Huang CY. Mol Cell 013 Feb 8. [Epub ahead of print]
pplications	
<i>situ</i> Proximity	/ Ligation Assay (Cell)
GFR1 SOS1	
ene Informatio	on
ntrez GenelD:	2260
Gene Name:	FGFR1
ene Alias:	BFGFR,CD331,CEK,FGFBR,FLG,FLJ99988,FLT2,HBGFR,KAL2,N- SAM
Gene Description:	fibroblast growth factor receptor 1
mim ID:	<u>101600, 123150, 136350, 147950</u>
ene Ontology	: <u>Hyperlink</u>
Gene Summary	The protein encoded by this gene is a member of the fibroblast growth factor receptor (FGFR) family, where amino acid sequence is highly conserved between members and throughout evolution. FGFR family members differ from one another in their ligand affinities and tissue distribution. A full-length representative protein consists of an extracellular region, composed of three immunoglobulin-like domains, a single hydrophobic membrane-spanning segment and a cytoplasmic tyrosine kinase domain. The extracellular portion of the protein interacts with fibroblast growth factors, setting in motion a cascade of downstream signals, ultimately influencing mitogenesis and differentiation. This particular family member binds both acidic and basic fibroblast growth factors and is involved in limb induction. Mutations in this gene have been associated with Pfeiffer syndrome, Jackson-Weiss syndrome, Antley-Bixler syndrome, osteoglophonic dysplasia, and autosomal dominant Kallmann syndrome 2. Chromosomal aberrations involving this gene are associated with stem cell myeloproliferative disorder and stem cell leukemia lymphoma syndrome. Alternatively spliced variants which encode different protein isoforms have been described; however, not all variants have been fully characterized. [provided by RefSeq
Other Designations:	FMS-like tyrosine kinase 2,OTTHUMP00000190874,OTTHUMP00000190878,OTTHUMP0000019 0879,OTTHUMP00000190881,basic fibroblast growth factor receptor 1,fms-related tyrosine kinase 2,fms-related tyrosine kinase-2,heparin- binding growth factor receptor,hydroxyaryl
Gene Information	on
ntrez GenelD:	<u>6654</u>
ene Name:	SOS1

Gene Alias:	GF1,GGF1,GINGF,HGF,NS4	
Gene Description:	son of sevenless homolog 1 (Drosophila)	
Omim ID:	<u>135300, 182530, 610733</u>	
Gene Ontology: <u>Hyperlink</u>		
Gene Summary	This gene encodes a protein that is a guanine nucleotide exchange factor for RAS proteins, membrane proteins that bind guanine nucleotides and participate in signal transduction pathways. GTP binding activates and GTP hydrolysis inactivates RAS proteins. The product of this gene may regulate RAS proteins by facilitating the exchange of GTP for GDP. Mutations in this gene are associated with gingival fibromatosis 1 and Noonan syndrome type 4. [provided by RefSeq	
Other Designations:	OTTHUMP00000128306,gingival fibromatosis, hereditary, 1,guanine nucleotide exchange factor,son of sevenless homolog 1	

#### Interactome 1



Interactome 2



服務條款 | 隱私權政策 | 著作及商標 | 網站地圖 ©2016 亞諾法生技股份有限公司 Abnova Corporation. 版權所有.