

Produktinformation



Forschungsprodukte & Biochemikalien
Zellkultur & Verbrauchsmaterial
Diagnostik & molekulare Diagnostik
Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



Lieferung & Zahlungsart siehe unsere Liefer- und Versandbedingungen

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien T. +43(0)1 489 3961-0 F. +43(0)1 489 3961-7 <u>mail@szabo-scandic.com</u> www.szabo-scandic.com



CRK & MAPK8 Protein Protein Interaction Antibody Pair

Catalog # : DI0309

規格:[1Set]

l ist All


			Application Image
antibodies to detect the protein, and the other a	protein-protein interaction gainst the MAPK8 protein	on, one against the CRK n for use in <u>in situ</u>	In situ Proximity Ligation Assay (Cell)
Y		A Star	
 Incubate with target primary antibodies 	2. Add PLA probes PLUS and MINUS	3. Hybridize connector oligos	
4. Ligation to form a complete DNA circle	5. Rolling circle amplification	6. Add fluorescent probes to reveal interaction	
	antibodies to detect the protein, and the other as <u>Proximity Ligation Assay</u> Incubate with target primary antibodies Incubate with target primary antibodies Incubate with target	antibodies to detect the protein-protein interaction protein, and the other against the MAPK8 protein Proximity Ligation Assay. See Publication ReferenceImage: See Publication ReferenceI	primary antibodies PLUS and MINUS oligos Image: primary antibodies Image: primary antibodies Image: primary antibodies Image: primary antibodies Image: primary antibodies Image: primary antibodies Image: primary antibodies Image: primary antibodies Image: primary antibodies Image: primary antibodies Image: primary antibodies Image: primary antibodies Image: primary antibodies Image: primary antibodies Image: primary antibodies Image: primary antibodies Image: primary antibodies Image: primary antibodies Image: primary antibodies Image: primary antibodies Image: primary antibodies Image: primary antibodies Image: primary antibodies Image: primary antibodies Image: primary antibodies Image: primary antibodies Image: primary antibodies Image: primary antibodies Image: primary antibodies Image: primary antibodies Image: primary antibodies Image: primary antibodies Image: primary antibodies Image: primary antibodies Image: primary antibodies Image: primary antibodies Image: primary antibodies Image: primary antibodies Image: primary antibodies Image: primary antibodies Image: primary antibodies Image: primary antibodies Image: primary antibodies Image: primary antibodies Image: primary antibodies Image: primary

Reactivity:

Human

Quality Control Protein protein interaction immunofluorescence result.


Testing:




	20°C storage immediately after use			
	20°C storage immediately after use.			
MSDS:	main Download			
Publication Reference				
novel prognos Liu CH, Chen Cheng HC, Ch	f protein-protein interactions in cross-talk pathways reveals CRKL as a stic marker in hepatocellular carcinoma. TC, Chau GY, Jan YH, Chen CH, Hsu CN, Lin KT, Juang YL, Lu PJ, nen MH, Chang CF, Ting YS, Kao CY, Hsiao M, Huang CY. Mol Cell 013 Feb 8. [Epub ahead of print]			
Applications				
<i>In situ</i> Proximity Ligation Assay (Cell)				
CRK MAPK8				
Gene Information				
Entrez GenelD:	1398			
Gene Name:	CRK			
Gene Alias:	CRKII			
Gene Description:	v-crk sarcoma virus CT10 oncogene homolog (avian)			
Omim ID:	<u>164762</u>			
ene Ontology:	Hyperlink			
Gene Summary:	This gene encodes a member of an adapter protein family that binds to several tyrosine-phosphorylated proteins. The product of this gene has several SH2 and SH3 domains (src-homology domains) and is involved in several signaling pathways, recruiting cytoplasmic proteins in the vicinity of tyrosine kinase through SH2-phosphotyrosine interaction. The N-terminal SH2 domain of this protein functions as a positive regulator of transformation whereas the C-terminal SH3 domain functions as a negative regulator of transformation. Two alternative transcripts encoding different isoforms with distinct biological activity have been described. [provided by RefSeq			
Other Designations:	avian sarcoma virus CT10 (v-crk) oncogene homolog,v-crk avian sarcoma virus CT10 oncogene homolog,v-crk sarcoma virus CT10 oncogene homolog			
Gene Information				
ntrez GenelD:	5599			
Gene Name:	MAPK8			
Gene Alias:	JNK,JNK1,JNK1A2,JNK21B1/2,PRKM8,SAPK1			
Gene Description:	mitogen-activated protein kinase 8			
Omim ID:	<u>601158</u>			
Gene Ontology:	Hyperlink			
Gene Summary:	The protein encoded by this gene is a member of the MAP kinase family. MAP kinases act as an integration point for multiple biochemical signals, and are involved in a wide variety of cellular processes such as			

	proliferation, differentiation, transcription regulation and development. This kinase is activated by various cell stimuli, and targets specific transcription factors, and thus mediates immediate-early gene expression in response to cell stimuli. The activation of this kinase by tumor-necrosis factor alpha (TNF-alpha) is found to be required for TNF-alpha induced apoptosis. This kinase is also involved in UV radiation induced apoptosis, which is thought to be related to cytochrom c-mediated cell death pathway. Studies of the mouse counterpart of this gene suggested that this kinase play a key role in T cell proliferation, apoptosis and differentiation. Four alternatively spliced transcript variants encoding distinct isoforms have been reported. [provided by RefSeq
Other Designations:	JNK1 alpha protein kinase, JNK1 beta protein kinase, JUN N-terminal kinase, OTTHUMP00000019552, OTTHUMP00000019555, OTTHUMP000 00019556, OTTHUMP00000019558, c-Jun N-terminal kinase 1, mitogen- activated protein kinase 8 isoform JNK1 alpha1, mitogen-activated protein

Interactome 1



Interactome 2



服務條款 | 隱私權政策 | 著作及商標 | 網站地圖 ©2016 亞諾法生技股份有限公司 Abnova Corporation. 版權所有.