

## Produktinformation



Forschungsprodukte & Biochemikalien
Zellkultur & Verbrauchsmaterial
Diagnostik & molekulare Diagnostik
Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



Lieferung & Zahlungsart siehe unsere Liefer- und Versandbedingungen

## Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

## SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien T. +43(0)1 489 3961-0 F. +43(0)1 489 3961-7 <u>mail@szabo-scandic.com</u> www.szabo-scandic.com



## ATF4 & FOS Protein Protein Interaction Antibody Pair

Catalog #: DI0361

規格:[1Set]

l ist All


Specification		Application Image		
Product Description:	This protein protein interaction antibody pair set comes with two antibodies to detect the protein-protein interaction, one against the ATF4 protein, and the other against the FOS protein for use in <i>in situ</i> <u>Proximity Ligation Assay</u> . <u>See Publication Reference below</u> .			<i>In situ</i> Proximity Ligation Assay (Cell)
	1. Incubate with target primary antibodies	2. Add PLA probes PLUS and MINUS	3. Hybridize connector oligos	
	4. Ligation to form a complete DNA circle	5. Rolling circle amplification	6. Add fluorescent probes to reveal interaction	

**Reactivity:** 

Human

Quality Control Protein protein interaction immunofluorescence result.

Testing:



	20°C storage immediately after use.
MSDS:	m Download
Publication Ref	erence
novel progno Liu CH, Chen Cheng HC, C	of protein-protein interactions in cross-talk pathways reveals CRKL as a stic marker in hepatocellular carcinoma. I TC, Chau GY, Jan YH, Chen CH, Hsu CN, Lin KT, Juang YL, Lu PJ, hen MH, Chang CF, Ting YS, Kao CY, Hsiao M, Huang CY. Mol Cell 2013 Feb 8. [Epub ahead of print]
Applications	
<i>In situ</i> Proximit	y Ligation Assay (Cell)
ATF4 FOS	
Gene Informati	on
Entrez GenelD:	468
Gene Name:	ATF4
Gene Alias:	CREB-2,CREB2,TAXREB67,TXREB
Gene Description:	activating transcription factor 4 (tax-responsive enhancer element B67)
Omim ID:	<u>604064</u>
Gene Ontology	: <u>Hyperlink</u>
Gene Summary	This gene encodes a transcription factor that was originally identified as a widely expressed mammalian DNA binding protein that could bind a tax-responsive enhancer element in the LTR of HTLV-1. The encoded protein was also isolated and characterized as the cAMP-response element binding protein 2 (CREB-2). The protein encoded by this gene belongs to a family of DNA-binding proteins that includes the AP-1 family of transcription factors, cAMP-response element binding proteins (CREBs) and CREB-like proteins. These transcription factors share a leucine zipper region that is involved in protein-protein interactions, located C-terminal to a stretch of basic amino acids that functions as a DNA binding domain. Two alternative transcripts encoding the same protein have been described. Two pseudogenes are located on the X chromsome at q28 in a region containing a large inverted duplication. [provided by RefSeq
Other Designations:	activating transcription factor 4,cAMP response element-binding protein 2
Gene Informati	on
Entrez GenelD:	2353
Gene Name:	FOS
Gene Alias:	AP-1,C-FOS
Gene Description:	v-fos FBJ murine osteosarcoma viral oncogene homolog
Omim ID:	<u>164810</u>
Gene Ontology	: <u>Hyperlink</u>

-	The Fos gene family consists of 4 members: FOS, FOSB, FOSL1, and FOSL2. These genes encode leucine zipper proteins that can dimerize with proteins of the JUN family, thereby forming the transcription factor complex AP-1. As such, the FOS proteins have been implicated as regulators of cell proliferation, differentiation, and transformation. In some cases, expression of the FOS gene has also been associated with apoptotic cell death. [provided by RefSeq	
Other Designations:	FBJ murine osteosarcoma viral (v-fos) oncogene homolog (oncogene FOS),activator protein 1,cellular oncogene c-fos	

服務條款 | 隱私權政策 | 著作及商標 | 網站地圖 ©2016 亞諾法生技股份有限公司 Abnova Corporation. 版權所有.