

## Produktinformation



Forschungsprodukte & Biochemikalien
Zellkultur & Verbrauchsmaterial
Diagnostik & molekulare Diagnostik
Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



Lieferung & Zahlungsart siehe unsere Liefer- und Versandbedingungen

## Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

## SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien T. +43(0)1 489 3961-0 F. +43(0)1 489 3961-7 <u>mail@szabo-scandic.com</u> www.szabo-scandic.com



## **RASGRP4 & RAP1A Protein Protein Interaction Antibody Pair**

Catalog #: DI0517

規格:[1Set]

List All



**Reactivity:** 

Human

Quality Control Protein protein interaction immunofluorescence result.



	20°C storage immediately after use.
MSDS:	m Download
Publication Ref	erence
1. <u>An analysis or</u> <u>novel prognos</u> Liu CH, Chen Cheng HC, CH Proteomics. 2	f protein-protein interactions in cross-talk pathways reveals CRKL as a stic marker in hepatocellular carcinoma. TC, Chau GY, Jan YH, Chen CH, Hsu CN, Lin KT, Juang YL, Lu PJ, hen MH, Chang CF, Ting YS, Kao CY, Hsiao M, Huang CY. Mol Cell 013 Feb 8. [Epub ahead of print]
Applications	
<i>In situ</i> Proximity	Ligation Assay (Cell)
RAP1A RASGRE	<u>04</u>
Gene Informatio	on
Entrez GenelD:	115727
Gene Name:	RASGRP4
Gene Alias:	-
Gene Description:	RAS guanyl releasing protein 4
Omim ID:	607320
Gene Ontology:	<u>Hyperlink</u>
Gene Summary:	The protein encoded by this gene is a member of the Ras guanyl nucleotide-releasing protein (RasGRP) family of Ras guanine nucleotide exchange factors. It contains a Ras exchange motif, a diacylglycerol- binding domain, and two calcium-binding EF hands. This protein was shown to activate H-Ras in a cation-dependent manner in vitro. Expression of this protein in myeloid cell lines was found to be correlated with elevated level of activated RAS protein, and the RAS activation can be greatly enhanced by phorbol ester treatment, which suggested a role of this protein in diacylglycerol regulated cell signaling pathways. Studies of a mast cell leukemia cell line expressing substantial amounts of abnormal transcripts of this gene indicated that this gene may play an important role in the final stages of mast cell development. Multiple transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq
Other Designations:	guanyl nucleotide releasing protein 4
Gene Informatio	on
Entrez GeneID:	<u>5906</u>
Gene Name:	RAP1A
Gene Alias:	KREV-1,KREV1,RAP1,SMGP21
Gene Description:	RAP1A, member of RAS oncogene family
Omim ID:	179520
Gene Ontology:	Hyperlink

Gene Summary	r: The product of this gene belongs to the family of RAS-related proteins. These proteins share approximately 50% amino acid identity with the classical RAS proteins and have numerous structural features in common. The most striking difference between RAP proteins and RAS proteins resides in their 61st amino acid: glutamine in RAS is replaced by threonine in RAP proteins. The product of this gene counteracts the mitogenic function of RAS because it can interact with RAS GAPs and RAF in a competitive manner. Two transcript variants encoding the same protein have been identified for this gene. [provided by RefSeq	
Other Designations:	OTTHUMP00000013740,OTTHUMP00000013741,OTTHUMP00000059 089,RAS-related protein RAP1A,Ras-related protein Krev-1,Ras-related protein Rap-1A	

服務條款 | 隱私權政策 | 著作及商標 | 網站地圖 ©2016 亞諾法生技股份有限公司 Abnova Corporation. 版權所有.