



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

NAT1 (Human) IP-WB Antibody Pair

Catalog # : H00000009-PW2

規格 : [1 Set]


List All

Specification

Product Description: This IP-WB antibody pair set comes with one antibody for immunoprecipitation and another to detect the precipitated protein in western blot.

Reactivity: Human

Quality Control Testing: Immunoprecipitation-Western Blot (IP-WB)



Immunoprecipitation of NAT1 transfected lysate using rabbit polyclonal anti-NAT1 and Protein A Magnetic Bead ([U0007](#)), and immunoblotted with mouse purified polyclonal anti-NAT1.

Supplied Product: Antibody pair set content:
1. Antibody pair for IP: rabbit polyclonal anti-NAT1 (300 ul)
2. Antibody pair for WB: mouse purified polyclonal anti-NAT1 (50 ug)

Storage Instruction: Store reagents of the antibody pair set at -20°C or lower. Please aliquot to avoid repeated freeze thaw cycle. Reagents should be returned to -20°C storage immediately after use.

Applications

Immunoprecipitation-Western Blot

 [Protocol Download](#)

Gene Information

Entrez GeneID: [9](#)

Gene Name: NAT1

Gene Alias: AAC1,NATI

Gene Description: N-acetyltransferase 1 (arylamine N-acetyltransferase)

Omim ID: [108345](#)

Gene Ontology: [Hyperlink](#)

Gene Summary: This gene is one of two arylamine N-acetyltransferase (NAT) genes in

the human genome, and is orthologous to the mouse and rat Nat2 genes. The enzyme encoded by this gene catalyzes the transfer of an acetyl group from acetyl-CoA to various arylamine and hydrazine substrates. This enzyme helps metabolize drugs and other xenobiotics, and functions in folate catabolism. Multiple transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq

Other N-acetyltransferase 1,OTTHUMP00000122488,arylamide acetylase 1
Designations: (N-acetyltransferase 1),arylamine N-acetyltransferase 1

Gene Pathway

[Caffeine metabolism](#) [Drug metabolism - other enzymes](#) [Metabolic pathways](#)

Related Disease

[Abnormalities, Drug-Induced Adenocarcinoma](#) [Adenoma](#) [Alcoholism](#) [Alzheimer Disease](#)
[Alzheimer disease](#) [Amnesia](#) [Asthma](#) [Asthma](#) [Breast cancer](#) [Breast Neoplasms](#) [Carcinoma](#)
[Carcinoma, Hepatocellular](#) [Carcinoma, Non-Small-Cell Lung](#) [Carcinoma, Pancreatic Ductal](#)
[Carcinoma, Small Cell](#) [Carcinoma, Squamous Cell](#) [Carcinoma, Transitional Cell](#)
[Cardiovascular Diseases](#)

... see more

[服務條款](#) | [隱私權政策](#) | [著作及商標](#) | [網站地圖](#)

©2016 亞諾法生技股份有限公司 Abnova Corporation. 版權所有.