



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

BIRC5 (Human) IP-WB Antibody Pair

Catalog # : H00000332-PW1

規格 : [1 Set]


List All

Specification

Product Description: This IP-WB antibody pair set comes with one antibody for immunoprecipitation and another to detect the precipitated protein in western blot.

Reactivity: Human

Quality Control Testing: Immunoprecipitation-Western Blot (IP-WB)



Immunoprecipitation of BIRC5 transfected lysate using mouse monoclonal anti-BIRC5 and Protein A Magnetic Bead ([U0007](#)), and immunoblotted with rabbit polyclonal anti-BIRC5.

Supplied Product: Antibody pair set content:
1. Antibody pair for IP: mouse monoclonal anti-BIRC5 (300 ug)
2. Antibody pair for WB: rabbit polyclonal anti-BIRC5 (50 ul)

Storage Instruction: Store reagents of the antibody pair set at -20°C or lower. Please aliquot to avoid repeated freeze thaw cycle. Reagents should be returned to -20°C storage immediately after use.

MSDS:  [Download](#)

Applications

Immunoprecipitation-Western Blot

 [Protocol Download](#)

Gene Information

Entrez GeneID: [332](#)

Gene Name: BIRC5

Gene Alias: API4,EPR-1

Gene Description: baculoviral IAP repeat-containing 5

Omim ID: [603352](#)

Gene Ontology: [Hyperlink](#)

Application Image

Immunoprecipitation-Western Blot

Gene Summary: This gene is a member of the inhibitor of apoptosis (IAP) gene family, which encode negative regulatory proteins that prevent apoptotic cell death. IAP family members usually contain multiple baculovirus IAP repeat (BIR) domains, but this gene encodes proteins with only a single BIR domain. The encoded proteins also lack a C-terminus RING finger domain. Gene expression is high during fetal development and in most tumors yet low in adult tissues. Antisense transcripts are involved in the regulation of this gene's expression. At least four transcript variants encoding distinct isoforms have been found for this gene, but the full-length nature of only three of them have been determined. [provided by RefSeq]

Other Designations: apoptosis inhibitor 4, baculoviral IAP repeat-containing protein 5, survivin variant 3 alpha

Gene Pathway

[Colorectal cancer Pathways in cancer](#)

Related Disease

[Adenocarcinoma](#) [Carcinoma](#), [Adenosquamous Carcinoma](#), [Squamous Cell Carcinoma](#), [Transitional Cell Cell Transformation](#), [Neoplastic Colorectal Neoplasms](#), [Esophageal Neoplasms](#), [Genetic Predisposition to Disease](#), [Head and Neck Neoplasms](#), [Kidney Failure](#), [Chronic Leukemia](#), [chronic myeloid Leukemia](#), [Myelogenous, Chronic, BCR-ABL Positive Leukemia](#), [Myeloid, Acute Lung Neoplasms](#), [Lymphatic Metastasis Neoplasm Recurrence](#), [Local Neoplasms](#), [Second Primary Neovascularization](#), [Pathologic Pancreatic Neoplasms](#)

[... see more](#)

[服務條款](#) | [隱私權政策](#) | [著作及商標](#) | [網站地圖](#)

©2016 亞諾法生技股份有限公司 Abnova Corporation. 版權所有.