



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC Handels GmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Datasheet

RUNX2 monoclonal antibody (MA01), clone 1D8 (APC)

Catalog Number: H00000860-MA01

Regulation Status: For research use only (RUO)

Product Description: APC conjugated mouse monoclonal antibody raised against a partial recombinant RUNX2.

Clone Name: 1D8

Immunogen: RUNX2 (NP_004339, 251 a.a. ~ 350 a.a) partial recombinant protein with GST tag. MW of the GST tag alone is 26 KDa.

Sequence:

NPRPSLNSAPSPFNPQGQSQITDPRQAQSSPPWSYD
QSYPSYLSQMTSPSIHSTTPLSSTRGTGLPAITDVPRRI
SDDDTATSDFLWPSTLSKKSQAGA

Host: Mouse

Interspecies Antigen Sequence: Mouse (99); Rat (98)

Protocols: See our web site at
<http://www.abnova.com/support/protocols.asp> or product
page for detailed protocols

Conjugation: APC

Isotype: IgG2b

Storage Buffer: In 1x PBS, pH 7.4

Storage Instruction: Store at -20°C or lower. Aliquot to
avoid repeated freezing and thawing.

Entrez GeneID: 860

Gene Symbol: RUNX2

Gene Alias: AML3, CBFA1, CCD, CCD1, MGC120022,
MGC120023, OSF2, PEA2aA, PEBP2A1, PEBP2A2,
PEBP2aA, PEBP2aA1

Gene Summary: This gene is a member of the RUNX
family of transcription factors and encodes a nuclear
protein with an Runt DNA-binding domain. This protein is

essential for osteoblastic differentiation and skeletal morphogenesis and acts as a scaffold for nucleic acids and regulatory factors involved in skeletal gene expression. The protein can bind DNA both as a monomer or, with more affinity, as a subunit of a heterodimeric complex. Mutations in this gene have been associated with the bone development disorder cleidocranial dysplasia (CCD). Transcript variants that encode different protein isoforms result from the use of alternate promoters as well as alternate splicing. [provided by RefSeq]