



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

RUNX3 (Human) IP-WB Antibody Pair

Catalog # : H00000864-PW2

規格 : [1 Set]


List All

Specification

Product Description: This IP-WB antibody pair set comes with one antibody for immunoprecipitation and another to detect the precipitated protein in western blot.

Reactivity: Human

Quality Control Testing: Immunoprecipitation-Western Blot (IP-WB)



Immunoprecipitation of RUNX3 transfected lysate using rabbit polyclonal anti-RUNX3 and Protein A Magnetic Bead ([U0007](#)), and immunoblotted with mouse purified polyclonal anti-RUNX3.

Supplied Product: Antibody pair set content:
 1. Antibody pair for IP: rabbit polyclonal anti-RUNX3 (300 ul)
 2. Antibody pair for WB: mouse purified polyclonal anti-RUNX3 (50 ug)

Storage Instruction: Store reagents of the antibody pair set at -20°C or lower. Please aliquot to avoid repeated freeze thaw cycle. Reagents should be returned to -20°C storage immediately after use.

Applications

Immunoprecipitation-Western Blot

 [Protocol Download](#)

Gene Information

Entrez GeneID: [864](#)

Gene Name: RUNX3

Gene Alias: AML2,CBFA3,FLJ34510,MGC16070,PEBP2aC

Gene Description: runt-related transcription factor 3

Omim ID: [600210](#)

Gene Ontology: [Hyperlink](#)

Gene Summary: This gene encodes a member of the runt domain-containing family of

transcription factors. A heterodimer of this protein and a beta subunit forms a complex that binds to the core DNA sequence 5'-PYGPYGGT-3' found in a number of enhancers and promoters, and can either activate or suppress transcription. It also interacts with other transcription factors. It functions as a tumor suppressor, and the gene is frequently deleted or transcriptionally silenced in cancer. Multiple transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq]

Other Designations: OTTHUMP00000003370,OTTHUMP00000003371,PEA2 alpha C,PEBP2 alpha C,acute myeloid leukemia gene 2,core-binding factor, runt domain, alpha subunit 3,polyomavirus enhancer-binding protein 2 alpha C subunit,transcription factor AML2

Related Disease

[Celiac Disease](#) [Colitis](#) [Ulcerative Gastritis](#) [Atrophic Genetic Predisposition to Disease](#)
[Helicobacter Infections](#) [Intestinal Neoplasms](#) [Keloid](#) [Narcolepsy](#) [Stomach Neoplasms](#)
[Urinary Bladder Neoplasms](#)

[服務條款](#) | [隱私權政策](#) | [著作及商標](#) | [網站地圖](#)

©2016 亞諾法生技股份有限公司 Abnova Corporation. 版權所有.