



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

CDH13 (Human) IP-WB Antibody Pair

Catalog # : H00001012-PW1

規格 : [1 Set]


[List All](#)

Specification

Product Description: This IP-WB antibody pair set comes with one antibody for immunoprecipitation and another to detect the precipitated protein in western blot.

Reactivity: Human

Quality Control Testing: Immunoprecipitation-Western Blot (IP-WB)



Immunoprecipitation of CDH13 transfected lysate using rabbit polyclonal anti-CDH13 and Protein A Magnetic Bead ([U0007](#)), and immunoblotted with mouse purified polyclonal anti-CDH13.

Supplied Product: Antibody pair set content:
 1. Antibody pair for IP: rabbit polyclonal anti-CDH13 (300 ul)
 2. Antibody pair for WB: mouse purified polyclonal anti-CDH13 (50 ug)

Storage Instruction: Store reagents of the antibody pair set at -20°C or lower. Please aliquot to avoid repeated freeze thaw cycle. Reagents should be returned to -20°C storage immediately after use.

MSDS:  [Download](#)

Applications

Immunoprecipitation-Western Blot

 [Protocol Download](#)

Gene Information

Entrez GeneID: [1012](#)

Gene Name: CDH13

Gene Alias: CDHH

Gene Description: cadherin 13, H-cadherin (heart)

Omim ID: [601364](#)

Gene Ontology: [Hyperlink](#)

Application Image

Immunoprecipitation-Western Blot

Gene Summary: This gene is a member of the cadherin superfamily. The encoded protein is a calcium dependent cell-cell adhesion glycoprotein comprised of five extracellular cadherin repeats, a transmembrane region but, unlike the typical cadherin superfamily member, lacks the highly conserved cytoplasmic region. This particular cadherin is a putative mediator of cell-cell interaction in the heart and may act as a negative regulator of neural cell growth. The gene locus is hypermethylated or deleted in breast, ovarian and lung cancers. Two major mRNA transcripts encoding identical proteins are found, products of alternative polyadenylation sites. [provided by RefSeq]

Other Designations: H-cadherin,P105,T-cad,T-cadherin,cadherin 13,heart-cadherin,truncated-cadherin

Related Disease

[Alcohol Withdrawal Delirium](#) [Alcoholism](#) [Arthritis, Rheumatoid](#) [Atherosclerosis](#)
[Attention Deficit Disorder with Hyperactivity](#) [Child Development Disorders, Pervasive](#)
[Coronary Artery Disease](#) [Diabetes Mellitus, Type 1](#) [Diabetic Nephropathies](#)
[Diseases in Twins](#) [Genetic Predisposition to Disease](#) [Hypertension](#) [Metabolic Syndrome X](#)
[Obesity](#) [Personality Assessment](#) [Prostate cancer](#) [Prostatic Neoplasms](#)
[Substance-Related Disorders](#) [Tobacco Use Disorder](#)

[服務條款](#) | [隱私權政策](#) | [著作及商標](#) | [網站地圖](#)

©2016 亞諾法生技股份有限公司 Abnova Corporation. 版權所有.