

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere Liefer- und Versandbedingungen

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

linkedin.com/company/szaboscandic in





CDKN2D (Human) Matched Antibody Pair

Catalog #: H00001032-AP21 規格:[1 Set]

List All

Specification	
Product Description:	This antibody pair set comes with matched antibody pair to detect and quantify protein level of human CDKN2D.
Reactivity:	Human
Quality Control Testing:	Standard curve using recombinant protein (H00001032-P01) as an analyte.
	1.4 1.2 1.0 8 0.8 8 0.6 0.4 0.2 0.0 0.01 0.1 1 10 100 1000 Recombinant Protein Concentration (ng/ml) Sandwich ELISA detection sensitivity ranging from 3 ng/ml to 100 ng/ml.
Supplied Product:	Antibody pair set content: 1. Capture antibody: rabbit MaxPab® affinity purified polyclonal anti-CDKN2D (100 ug) 2. Detection antibody: mouse polyclonal anti-CDKN2D (40 ul) *Reagents are sufficient for at least 3-5 x 96 well plates using recommended protocols.
Storage Instruction:	Store reagents of the antibody pair set at -20°C or lower. Please aliquot to avoid repeated freeze thaw cycle. Reagents should be returned to -20°C storage immediately after use.
MSDS:	<u> Download</u>
Applications	ombinant protein)
Applications	Protocol Download
Applications ELISA Pair (Reco	pn
Applications ELISA Pair (Reco	pn
Applications ELISA Pair (Reco	on 1032
Applications ELISA Pair (Reco	pn 1032 CDKN2D

Application Image

ELISA Pair (Recombinant protein)

Gene Summary: The protein encoded by this gene is a member of the INK4 family of cyclin-dependent kinase inhibitors. This protein has been shown to form a stable complex with CDK4 or CDK6, and prevent the activation of the CDK kinases, thus function as a cell growth regulator that controls cell cycle G1 progression. The abundance of the transcript of this gene was found to oscillate in a cell-cycle dependent manner with the lowest expression at mid G1 and a maximal expression during S phase. The negative regulation of the cell cycle involved in this protein was shown to participate in repressing neuronal proliferation, as well as spermatogenesis. Two alternatively spliced variants of this gene, which encode an identical protein, have been reported. [provided by RefSeq

Other Designations: CDK inhibitor p19INK4d,cell cycle inhibitor, Nur77 associating protein, cyclin-dependent kinase 4 inhibitor D p19, cyclin-dependent kinase inhibitor 2D,inhibitor of cyclin-dependent kinase 4d

Gene Pathway

Cell cycle

Related Disease

Breast cancer Breast Neoplasms Genetic Predisposition to Disease Kidney Failure, Chronic Multiple endocrine neoplasia Multiple Endocrine Neoplasia Type 1 Neoplasm Invasiveness Ovarian cancer Ovarian Neoplasms

> 服務條款 | 隱私權政策 | 著作及商標 | 網站地圖 ©2016 亞諾法生技股份有限公司 Abnova Corporation. 版權所有.

> > Page 2 of 2 2016/5/20