



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

TRDMT1 (Human) IP-WB Antibody Pair

Catalog # : H00001787-PW2

規格 : [1 Set]


List All

Specification

Product Description: This IP-WB antibody pair set comes with one antibody for immunoprecipitation and another to detect the precipitated protein in western blot.

Reactivity: Human

Quality Control Testing: Immunoprecipitation-Western Blot (IP-WB)



Immunoprecipitation of TRDMT1 transfected lysate using rabbit polyclonal anti-TRDMT1 and Protein A Magnetic Bead ([U0007](#)), and immunoblotted with mouse purified polyclonal anti-TRDMT1.

Supplied Product: Antibody pair set content:
1. Antibody pair for IP: rabbit polyclonal anti-TRDMT1 (300 ul)
2. Antibody pair for WB: mouse purified polyclonal anti-TRDMT1 (50 ug)

Storage Instruction: Store reagents of the antibody pair set at -20°C or lower. Please aliquot to avoid repeated freeze thaw cycle. Reagents should be returned to -20°C storage immediately after use.

Applications

Immunoprecipitation-Western Blot

 [Protocol Download](#)

Gene Information

Entrez GeneID: [1787](#)

Gene Name: TRDMT1

Gene Alias: DNMT2,M.HsalIP,PuMet,RNMT1

Gene Description: tRNA aspartic acid methyltransferase 1

Omim ID: [602478](#)

Gene Ontology: [Hyperlink](#)

Gene Summary: This gene encodes a protein responsible for the methylation of aspartic

acid transfer RNA. While similar in sequence and structure to DNA cytosine methyltransferases, this gene is distinct and highly conserved in its function among taxa. Alternative splicing results in multiple transcript variants encoding different isoforms. [provided by RefSeq]

Other Designations: DNA (cytosine-5-)-methyltransferase 2, DNA MTase homolog HsaIIIP, DNA methyltransferase homolog HsaIIIP, DNA methyltransferase-2, OTTHUMP00000019228, OTTHUMP00000045198, tRNA aspartic acid methyltransferase 1 variant 1, tRNA aspartic acid methyltransferase 1 varia

Gene Pathway

[Cysteine and methionine metabolism](#) [Metabolic pathways](#)

Related Disease

[Alzheimer disease](#) [Carcinoma, Non-Small-Cell Lung](#) [Carcinoma, Small Cell](#) [Cerebral Hemorrhage](#) [Genetic Predisposition to Disease](#) [Hypertension](#) [Intracranial Hemorrhages](#) [Lung carcinoma, small cell](#) [Lung Neoplasms](#) [Neoplasms, Glandular and Epithelial](#) [Ovarian cancer](#) [Ovarian Neoplasms](#) [Spinal Dysraphism](#) [Stroke](#) [Subarachnoid Hemorrhage](#)

[服務條款](#) | [隱私權政策](#) | [著作及商標](#) | [網站地圖](#)

©2016 亞諾法生技股份有限公司 Abnova Corporation. 版權所有.