



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

Datasheet

EBI2 (Human) Recombinant Protein (P01)

Catalog Number: H00001880-P01

Regulation Status: For research use only (RUO)

Product Description: Human EBI2 full-length ORF (AAH20752, 1 a.a. - 361 a.a.) recombinant protein with GST-tag at N-terminal.

Sequence:

MDIQMANNFTPPSATPQGNDCLYAAHSTARIVMPLH
YSLVFIIGLVGNLLALVVIVQNRKKINSTLYSTNLVISDI
LFTTALPTRIAYYAMGFDWRIGDALCRITALVFYINTYA
GVNFMTCLSIDRFIAVVHPLRYNKKIKRIEHAKGVCIFVWI
LVFAQTLPLLINPMSKQEAERITCMEYPNFEETKSLPWI
LLGACFIGYVLPLIIILICYSQICCKLFRTAKQNPLETEKSG
VNKKALNTIILIVFVLCFTPYHVAIQHMIKKLRFSNFLE
CSQRHSFQISLHFTVCLMNFNCCMDPFIYFFACKGYK
RKVMRMLKRQVSVSISAVKSAPEENSREMTETQMMI
HSKSSNGK

Host: Wheat Germ (in vitro)

Theoretical MW (kDa): 65.45

Interspecies Antigen Sequence: Mouse (88); Rat (88)

Applications: AP, Array, ELISA, WB-Re
(See our web site product page for detailed applications information)

Protocols: See our web site at
<http://www.abnova.com/support/protocols.asp> or product page for detailed protocols

Preparation Method: [in vitro wheat germ expression system](#)

Purification: Glutathione Sepharose 4 Fast Flow

Storage Buffer: 50 mM Tris-HCl, 10 mM reduced Glutathione, pH=8.0 in the elution buffer.

Storage Instruction: Store at -80°C. Aliquot to avoid repeated freezing and thawing.

Entrez GeneID: 1880

Gene Symbol: GPR183

Gene Alias: EBI2

Gene Summary: This gene was identified by the up-regulation of its expression upon Epstein-Barr virus infection of primary B lymphocytes. This gene is predicted to encode a G protein-coupled receptor that is most closely related to the thrombin receptor. Expression of this gene was detected in B-lymphocyte cell lines and lymphoid tissues but not in T-lymphocyte cell lines or peripheral blood T lymphocytes. The function of this gene is unknown. [provided by RefSeq]