



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

FUT1 (Human) IP-WB Antibody Pair

Catalog # : H00002523-PW1

規格 : [1 Set]


List All

Specification

Product Description: This IP-WB antibody pair set comes with one antibody for immunoprecipitation and another to detect the precipitated protein in western blot.

Reactivity: Human

Quality Control Testing: Immunoprecipitation-Western Blot (IP-WB)



Immunoprecipitation of FUT1 transfected lysate using rabbit polyclonal anti-FUT1 and Protein A Magnetic Bead ([U0007](#)), and immunoblotted with mouse polyclonal anti-FUT1.

Supplied Product: Antibody pair set content:
1. Antibody pair for IP: rabbit polyclonal anti-FUT1 (300 ul)
2. Antibody pair for WB: mouse polyclonal anti-FUT1 (50 ul)

Storage Instruction: Store reagents of the antibody pair set at -20°C or lower. Please aliquot to avoid repeated freeze thaw cycle. Reagents should be returned to -20°C storage immediately after use.

MSDS:  [Download](#)

Applications

Immunoprecipitation-Western Blot

 [Protocol Download](#)

Gene Information

Entrez GeneID: [2523](#)

Gene Name: FUT1

Gene Alias: H,HH,HSC

Gene Description: fucosyltransferase 1 (galactoside 2-alpha-L-fucosyltransferase, H blood group)

Omim ID: [211100](#)

Gene Ontology: [Hyperlink](#)

Application Image

Immunoprecipitation-Western Blot

Gene Summary: The protein encoded by this gene is a Golgi stack membrane protein that is involved in the creation of a precursor of the H antigen, which is required for the final step in the soluble A and B antigen synthesis pathway. This gene is one of two encoding the galactoside 2-L-fucosyltransferase enzyme. Mutations in this gene are a cause of the H-Bombay blood group. [provided by RefSeq]

Other Designations: 2-alpha-L-fucosyltransferase,GDP-L-fucose:beta-D-galactoside 2-alpha-L-fucosyltransferase 1,alpha (1,2) fucosyltransferase,blood group H alpha 2-fucosyltransferase,fucosyltransferase 1,fucosyltransferase 1 (galactoside 2-alpha-L-fucosyltransferase),fucosyl

Gene Pathway

[Glycosphingolipid biosynthesis - globo series](#)

[Glycosphingolipid biosynthesis - lacto and neolacto series](#) [Metabolic pathways](#)

[服務條款](#) | [隱私權政策](#) | [著作及商標](#) | [網站地圖](#)

©2016 亞諾法生技股份有限公司 Abnova Corporation. 版權所有.