



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

FUT2 (Human) IP-WB Antibody Pair

Catalog # : H00002524-PW1

規格 : [1 Set]


List All

Specification

Product Description: This IP-WB antibody pair set comes with one antibody for immunoprecipitation and another to detect the precipitated protein in western blot.

Reactivity: Human

Quality Control Testing: Immunoprecipitation-Western Blot (IP-WB)



Immunoprecipitation of FUT2 transfected lysate using rabbit polyclonal anti-FUT2 and Protein A Magnetic Bead ([U0007](#)), and immunoblotted with mouse monoclonal anti-FUT2.

Supplied Product: Antibody pair set content:
1. Antibody pair for IP: rabbit polyclonal anti-FUT2 (300 ul)
2. Antibody pair for WB: mouse monoclonal anti-FUT2 (50 ug)

Storage Instruction: Store reagents of the antibody pair set at -20°C or lower. Please aliquot to avoid repeated freeze thaw cycle. Reagents should be returned to -20°C storage immediately after use.

MSDS:  [Download](#)

Applications

Immunoprecipitation-Western Blot

 [Protocol Download](#)

Gene Information

Entrez GeneID: [2524](#)

Gene Name: FUT2

Gene Alias: SE,SEC2,Se2,sej

Gene Description: fucosyltransferase 2 (secretor status included)

Omim ID: [182100](#)

Gene Ontology: [Hyperlink](#)

Application Image

Immunoprecipitation-Western Blot

Gene Summary: The protein encoded by this gene is a Golgi stack membrane protein that is involved in the creation of a precursor of the H antigen, which is required for the final step in the soluble A and B antigen synthesis pathway. This gene is one of two encoding the galactoside 2-L-fucosyltransferase enzyme. Two transcript variants encoding the same protein have been found for this gene. [provided by RefSeq]

Other Designations: GDP-L-fucose:beta-D-galactoside 2-alpha-L-fucosyltransferase 2,alpha (1,2) fucosyltransferase,alpha(1,2)FT2,fucosyltransferase 2,galactoside 2-alpha-L-fucosyltransferase 2,secretor blood group alpha-2-fucosyltransferase,secretor factor

Gene Pathway

[Glycosphingolipid biosynthesis - globo series](#)

[Glycosphingolipid biosynthesis - lacto and neolacto series](#) [Metabolic pathways](#)

Related Disease

[Asthma](#) [Asthma](#) [Breast Neoplasms](#) [Caliciviridae Infections](#) [Carcinoma, Ductal, Breast](#) [Crohn Disease](#) [Cystic Fibrosis](#) [Cystic fibrosis](#) [Disease Progression](#) [Disease Susceptibility](#) [Gastritis](#) [Gastritis, Atrophic](#) [Gastroenteritis](#) [Genetic Predisposition to Disease](#) [Helicobacter Infections](#) [HIV Infections](#) [Infection](#) [Lymphatic Metastasis](#) [Peptic Ulcer](#)

[... see more](#)

[服務條款](#) | [隱私權政策](#) | [著作及商標](#) | [網站地圖](#)

©2016 亞諾法生技股份有限公司 Abnova Corporation. 版權所有.