



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

NR3C1 (Human) Matched Antibody Pair

Catalog # : H00002908-AP11

規格 : [1 Set]


[List All](#)

Specification

Product Description: This antibody pair set comes with matched antibody pair to detect and quantify protein level of human NR3C1.

Reactivity: Human

Quality Control Testing: Standard curve using recombinant protein (H00002908-P01) as an analyte.



Sandwich ELISA detection sensitivity ranging from 0.03 ng/ml to 100 ng/ml.

Supplied Product: Antibody pair set content:
 1. Capture antibody: rabbit MaxPab® affinity purified polyclonal anti-NR3C1 (100 ug)
 2. Detection antibody: mouse monoclonal anti-NR3C1, IgG2a Kappa (20 ug)
 *Reagents are sufficient for at least 1-2 x 96 well plates using recommended protocols.

Storage Instruction: Store reagents of the antibody pair set at -20°C or lower. Please aliquot to avoid repeated freeze thaw cycle. Reagents should be returned to -20°C storage immediately after use.

MSDS:  [Download](#)

Applications

ELISA Pair (Recombinant protein)

 [Protocol Download](#)

Gene Information

Entrez GeneID: [2908](#)

Gene Name: NR3C1

Gene Alias: GCCR,GCR,GR,GRL

Gene Description: nuclear receptor subfamily 3, group C, member 1 (glucocorticoid receptor)

Omim ID: [138040](#)

Gene Ontology: [Hyperlink](#)

Application Image

ELISA Pair (Recombinant protein)

Gene Summary: The protein encoded by this gene is a receptor for glucocorticoids that can act as both a transcription factor and as a regulator of other transcription factors. This protein can also be found in heteromeric cytoplasmic complexes along with heat shock factors and immunophilins. The protein is typically found in the cytoplasm until it binds a ligand, which induces transport into the nucleus. Mutations in this gene are a cause of glucocorticoid resistance, or cortisol, resistance. Alternate splicing, the use of at least three different promoters, and alternate translation initiation sites result in several transcript variants encoding the same protein or different isoforms, but the full-length nature of some variants has not been determined.
[provided by RefSeq]

Other Designations: nuclear receptor subfamily 3, group C, member 1

Gene Pathway

[Neuroactive ligand-receptor interaction](#)

Related Disease

[Abortion, Habitual](#) [Addison Disease](#) [Adenoma](#) [Adrenal Gland Neoplasms](#)
[Adrenal Hyperplasia, Congenital](#) [Adrenal hyperplasia, congenital](#) [Arthritis, Rheumatoid](#)
[Asthma](#) [Asthma](#) [Atherosclerosis](#) [Atherosclerosis](#) [Bipolar Disorder](#) [Birth Weight](#)
[Breast cancer](#) [Bronchiolitis, Viral](#) [Calcinosis](#) [Carcinoma, Squamous Cell](#)
[Cardiovascular Diseases](#) [Celiac Disease](#)

[... see more](#)