



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

HDAC1 (Human) IP-WB Antibody Pair

Catalog # : H00003065-PW1

規格 : [1 Set]


List All

Specification

Product Description: This IP-WB antibody pair set comes with one antibody for immunoprecipitation and another to detect the precipitated protein in western blot.

Reactivity: Human

Quality Control Testing: Immunoprecipitation-Western Blot (IP-WB)



Immunoprecipitation of HDAC1 transfected lysate using rabbit polyclonal anti-HDAC1 and Protein A Magnetic Bead ([U0007](#)), and immunoblotted with mouse polyclonal anti-HDAC1.

Supplied Product: Antibody pair set content:
1. Antibody pair for IP: rabbit polyclonal anti-HDAC1 (300 ul)
2. Antibody pair for WB: mouse polyclonal anti-HDAC1 (50 ul)

Storage Instruction: Store reagents of the antibody pair set at -20°C or lower. Please aliquot to avoid repeated freeze thaw cycle. Reagents should be returned to -20°C storage immediately after use.

MSDS:  [Download](#)

Applications

Immunoprecipitation-Western Blot

 [Protocol Download](#)

Gene Information

Entrez GeneID: [3065](#)

Gene Name: HDAC1

Gene Alias: DKFZp686H12203,GON-10,HD1,RPD3,RPD3L1

Gene Description: histone deacetylase 1

Omim ID: [601241](#)

Gene Ontology: [Hyperlink](#)

Application Image

Immunoprecipitation-Western Blot

Gene Summary: Histone acetylation and deacetylation, catalyzed by multisubunit complexes, play a key role in the regulation of eukaryotic gene expression. The protein encoded by this gene belongs to the histone deacetylase/acuc/apha family and is a component of the histone deacetylase complex. It also interacts with retinoblastoma tumor-suppressor protein and this complex is a key element in the control of cell proliferation and differentiation. Together with metastasis-associated protein-2, it deacetylates p53 and modulates its effect on cell growth and apoptosis. [provided by RefSeq]

Other Designations: OTTHUMP00000008745, reduced potassium dependency, yeast homolog-like 1

Gene Pathway

[Cell cycle](#) [Chronic myeloid leukemia](#) [Huntington's disease](#) [Notch signaling pathway](#)
[Pathways in cancer](#)

Related Disease

[Asthma](#) [Asthma](#) [Cognition Disorders](#) [Genetic Predisposition to Disease](#) [Huntington Disease](#)
[Huntington disease](#) [Mental Status Schedule](#) [Neoplasms, Glandular and Epithelial](#)
[Ovarian cancer](#) [Ovarian Neoplasms](#) [Tobacco Use Disorder](#)

[服務條款](#) | [隱私權政策](#) | [著作及商標](#) | [網站地圖](#)

©2016 亞諾法生技股份有限公司 Abnova Corporation. 版權所有.