

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere Liefer- und Versandbedingungen

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

linkedin.com/company/szaboscandic in





NRG1 (Human) IP-WB Antibody Pair

Catalog # : H00003084-PW2 規格 : [1 Set]

List All

Specification		Application Image
Product Description:	This IP-WB antibody pair set comes with one antibody for immunoprecipitation and another to detect the precipitated protein in western blot.	Immunoprecipitation-Western Blot
Reactivity:	Human	
Quality Control Testing:	Immunoprecipitation-Western Blot (IP-WB)	
	250 = 150 = 100 = 75 =	
	50 - 37 -	
	25 - 20 - 15 -	
	Immunoprecipitation of NRG1 transfected lysate using rabbit polyclonal anti-NRG1 and Protein A Magnetic Bead (<u>U0007</u>), and immunoblotted with mouse purified polyclonal anti-NRG1.	
Supplied Product:	Antibody pair set content: 1. Antibody pair for IP: rabbit polyclonal anti-NRG1 (300 ul) 2. Antibody pair for WB: mouse purified polyclonal anti-NRG1 (50 ug)	
Storage Instruction:	Store reagents of the antibody pair set at -20°C or lower. Please aliquot to avoid repeated freeze thaw cycle. Reagents should be returned to -20°C storage immediately after use.	
Applications		
Immunoprecipit	ation-Western Blot	
Gene Information	on	
Entrez GeneID:	3084	
Gene Name:	NRG1	
Gene Alias:	ARIA,GGF,GGF2,HGL,HRG,HRG1,HRGA,NDF,SMDF	
Gene Description:	neuregulin 1	
Omim ID:	<u>142445</u> , <u>603013</u>	
Gene Ontology:	<u>Hyperlink</u>	
Gene Summary	The protein encoded by this gene was originally identified as a 44-kD	

Page 1 of 2 2016/5/21

glycoprotein that interacts with the NEU/ERBB2 receptor tyrosine kinase to increase its phosphorylation on tyrosine residues. This protein is a signaling protein that mediates cell-cell interactions and plays critical roles in the growth and development of multiple organ systems. It is known that an extraordinary variety of different isoforms are produced from this gene through alternative promoter usage and splicing. These isoforms are tissue-specifically expressed and differ significantly in their structure, and thereby these isoforms are classified into types I, II, III, IV, V and VI. The gene dysregulation has been linked to diseases such as cancer, schizophrenia and bipolar disorder (BPD). [provided by RefSeq

Other Designations:

glial growth factor,heregulin, alpha (45kD, ERBB2 p185-activator),neu differentiation factor,neuregulin 1 isoform HRG-gamma,sensory and motor neuron derived factor

Gene Pathway

ErbB signaling pathway

Related Disease

Alzheimer Disease Alzheimer disease Amphetamine-Related Disorders Anoxia Asthma Asthma Atherosclerosis Atrophy Attention Autistic Disorder Bipolar Disorder Cardiovascular Diseases Carotid Artery Diseases Chronic Disease Cognition Cognition Disorders Depressive Disorder, Major Diabetes Mellitus, Type 2 Dominance, Cerebral

... see more

服務條款 | 隱私權政策 | 著作及商標 | 網站地圖

©2016 亞諾法生技股份有限公司 Abnova Corporation. 版權所有.

Page 2 of 2 2016/5/21