

# Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



## Lieferung & Zahlungsart

siehe unsere Liefer- und Versandbedingungen

## Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

linkedin.com/company/szaboscandic in





# HIP1 (Human) IP-WB Antibody Pair

**Catalog #**: H00003092-PW1 規格:[1 Set]

### List All

Specification		Application Image
Product Description:	This IP-WB antibody pair set comes with one antibody for immunoprecipitation and another to detect the precipitated protein in western blot.	Immunoprecipitation-Western Blot
Reactivity:	Human	
Quality Control Testing:	Immunoprecipitation-Western Blot (IP-WB)  250 – 150 – 100 – 75 – 50 –  Immunoprecipitation of HIP1 transfected lysate using mouse monoclonal anti-HIP1 and Protein A Magnetic Bead ( <u>U0007</u> ), and immunoblotted	
Supplied Product:	with rabbit polyclonal anti-HIP1.  Antibody pair set content:  1. Antibody pair for IP: mouse monoclonal anti-HIP1 (300 ug)  2. Antibody pair for WB: rabbit polyclonal anti-HIP1 (50 ul)	
Storage Instruction:	Store reagents of the antibody pair set at -20°C or lower. Please aliquot to avoid repeated freeze thaw cycle. Reagents should be returned to -20°C storage immediately after use.	
MSDS:	<u>Download</u>	
Applications		
Immunoprecipit	ation-Western Blot	
Gene Information	on	
Entrez GeneID:	3092	
Gene Name:	HIP1	
Gene Alias:	ILWEQ,MGC126506	
Gene Description:	huntingtin interacting protein 1	
Omim ID:	<u>176807, 601767</u>	
Gene Ontology:	I hammadiale	

Page 1 of 2 2016/5/21


Gene Summary: The product of this gene is a membrane-associated protein that colocalizes with huntingtin. This protein has similarities to cytoskeleton proteins and its interaction with huntingtin is thought to play a functional role in the cell filament network. Loss of normal huntingtin-HIP1 interaction in Huntington disease may contribute to a defect in membrane-cytoskeletal integrity in the brain. This gene could help in the understanding of the normal function of huntingtin and also the pathogenesis of Huntington disease. It also has been implicated in the pathogenesis of hematopoietic malignancies. An alternative splice

not been determined. [provided by RefSeq

variant of this gene has been described but its full length sequence has

Other Designations:

#### Interactome



#### **Gene Pathway**

Huntington's disease

#### **Related Disease**

<u>Huntington Disease</u> <u>Huntington disease</u>

服務條款 | 隱私權政策 | 著作及商標 | 網站地圖

©2016 亞諾法生技股份有限公司 Abnova Corporation. 版權所有.

Page 2 of 2 2016/5/21