



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

POLR2E (Human) IP-WB Antibody Pair

Catalog # : H00005434-PW1

規格 : [1 Set]


List All

Specification

Product Description: This IP-WB antibody pair set comes with one antibody for immunoprecipitation and another to detect the precipitated protein in western blot.

Reactivity: Human

Quality Control Testing: Immunoprecipitation-Western Blot (IP-WB)



Immunoprecipitation of POLR2E transfected lysate using rabbit polyclonal anti-POLR2E and Protein A Magnetic Bead (U0007), and immunoblotted with mouse purified polyclonal anti-POLR2E.

Supplied Product: Antibody pair set content:
1. Antibody pair for IP: rabbit polyclonal anti-POLR2E (300 ul)
2. Antibody pair for WB: mouse purified polyclonal anti-POLR2E (50 ug)

Storage Instruction: Store reagents of the antibody pair set at -20°C or lower. Please aliquot to avoid repeated freeze thaw cycle. Reagents should be returned to -20°C storage immediately after use.

MSDS:  [Download](#)

Applications

Immunoprecipitation-Western Blot

 [Protocol Download](#)

Gene Information

Entrez GeneID: [5434](#)

Gene Name: POLR2E

Gene Alias: RPABC1,RPB5,XAP4,hRPB25,hsRPB5

Gene Description: polymerase (RNA) II (DNA directed) polypeptide E, 25kDa

Omim ID: [180664](#)

Gene Ontology: [Hyperlink](#)

Application Image

Immunoprecipitation-Western Blot

Gene Summary: This gene encodes the fifth largest subunit of RNA polymerase II, the polymerase responsible for synthesizing messenger RNA in eukaryotes. This subunit is shared by the other two DNA-directed RNA polymerases and is present in two-fold molar excess over the other polymerase subunits. An interaction between this subunit and a hepatitis virus transactivating protein has been demonstrated, suggesting that interaction between transcriptional activators and the polymerase can occur through this subunit. A pseudogene is located on chromosome 11. [provided by RefSeq]

Other Designations: DNA directed RNA polymerase II 23 kda polypeptide, DNA directed RNA polymerase II polypeptide E, polymerase (RNA) II (DNA directed) polypeptide E (25kD)

Gene Pathway

[Huntington's disease](#) [Metabolic pathways](#) [Purine metabolism](#) [Pyrimidine metabolism](#)
[RNA polymerase](#)

Related Disease

[Genetic Predisposition to Disease](#) [Hematologic Diseases](#) [Occupational Diseases](#)
[Urinary Bladder Neoplasms](#)

[服務條款](#) | [隱私權政策](#) | [著作及商標](#) | [網站地圖](#)

©2016 亞諾法生技股份有限公司 Abnova Corporation. 版權所有.