

Produktinformation



Forschungsprodukte & Biochemikalien
Zellkultur & Verbrauchsmaterial
Diagnostik & molekulare Diagnostik
Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



Lieferung & Zahlungsart siehe unsere Liefer- und Versandbedingungen

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien T. +43(0)1 489 3961-0 F. +43(0)1 489 3961-7 <u>mail@szabo-scandic.com</u> www.szabo-scandic.com



TBP1 (Hum	an) IP-WB Antibody Pair	
atalog # : H0000	5725-PW1 規格:[1 Set]	
st All		
Specification		Application Image
Product Description:	This IP-WB antibody pair set comes with one antibody for immunoprecipitation and another to detect the precipitated protein in western blot.	Immunoprecipitation-Western Blot
Reactivity:	Human	
Quality Control Testing:	Immunoprecipitation-Western Blot (IP-WB)	
Supplied Product:	Antibody pair set content: 1. Antibody pair for IP: mouse monoclonal anti-PTBP1 (300 ug) 2. Antibody pair for WB: rabbit polyclonal anti-PTBP1 (50 ul)	
Storage Instruction:	Store reagents of the antibody pair set at -20°C or lower. Please aliquot to avoid repeated freeze thaw cycle. Reagents should be returned to - 20°C storage immediately after use.	
MSDS:	Download	
Applications		
lmmunoprecipit	ation-Western Blot	
Gene Informatio	on	
Entrez GenelD:	5725	
Gene Name:	PTBP1	
Gene Alias:	HNRNP-I,HNRNPI,HNRPI,MGC10830,MGC8461,PTB,PTB-1,PTB- T,PTB2,PTB3,PTB4,pPTB	
Gene Description:	polypyrimidine tract binding protein 1	
Omim ID:	600693	

Gene Summary	This gene belongs to the subfamily of ubiquitously expressed heterogeneous nuclear ribonucleoproteins (hnRNPs). The hnRNPs are RNA-binding proteins and they complex with heterogeneous nuclear RNA (hnRNA). These proteins are associated with pre-mRNAs in the nucleus and appear to influence pre-mRNA processing and other aspects of mRNA metabolism and transport. While all of the hnRNPs are present in the nucleus, some seem to shuttle between the nucleus and the cytoplasm. The hnRNP proteins have distinct nucleic acid binding properties. The protein encoded by this gene has four repeats of quasi- RNA recognition motif (RRM) domains that bind RNAs. This protein binds to the intronic polypyrimidine tracts that requires pre-mRNA splicing and acts via the protein degradation ubiquitin-proteasome pathway. It may also promote the binding of U2 snRNP to pre-mRNAs. This protein is localized in the nucleoplasm and it is also detected in the perinucleolar structure. Alternatively spliced transcript variants encoding different isoforms have been described. [provided by RefSeq
Other Designations:	RNA-binding protein,heterogeneous nuclear ribonucleoprotein I,heterogeneous nuclear ribonucleoprotein polypeptide I,polypyrimidine tract binding protein (heterogeneous nuclear ribonucleoprotein I),polypyrimidine tract-binding protein 1

Related Disease

<u>Alzheimer Disease Alzheimer disease Cardiovascular Diseases Diabetes Complications</u> <u>Metabolic Syndrome X Neoplasms Osteoporosis</u>

服務條款 | 隱私權政策 | 著作及商標 | 網站地圖

©2016 亞諾法生技股份有限公司 Abnova Corporation. 版權所有.