

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere Liefer- und Versandbedingungen

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

linkedin.com/company/szaboscandic in





PTGS1 (Human) IP-WB Antibody Pair

Catalog #: H00005742-PW1 規格:[1 Set]

List All

Specification		Application Image
Product Description:	This IP-WB antibody pair set comes with one antibody for immunoprecipitation and another to detect the precipitated protein in western blot.	Immunoprecipitation-Wester Blot
Reactivity:	Human	
Quality Control Testing:	Immunoprecipitation-Western Blot (IP-WB) 250 = 150 = 150 = 100 = 75 = 25 = 20 = 25 = 20 = 15 = 150 =	
Supplied Product:	Antibody pair set content: 1. Antibody pair for IP: rabbit polyclonal anti-PTGS1 (300 ul) 2. Antibody pair for WB: mouse purified polyclonal anti-PTGS1 (50 ug)	
Storage Instruction:	Store reagents of the antibody pair set at -20°C or lower. Please aliquot to avoid repeated freeze thaw cycle. Reagents should be returned to -20°C storage immediately after use.	
MSDS:	<u>Download</u>	
Applications		
Immunoprecipit	ation-Western Blot	
Gene Informatio	on	
Entrez GeneID:	5742	
Gene Name:	PTGS1	
Gene Alias:	COX1,COX3,PCOX1,PGG/HS,PGHS-1,PGHS1,PHS1,PTGHS	
Gene Description:	prostaglandin-endoperoxide synthase 1 (prostaglandin G/H synthase and cyclooxygenase)	
Omim ID:	<u>176805</u>	

Page 1 of 2 2016/5/21

Gene Summary: Prostaglandin-endoperoxide synthase (PTGS), also known as cyclooxygenase, is the key enzyme in prostaglandin biosynthesis, and acts both as a dioxygenase and as a peroxidase. There are two isozymes of PTGS: a constitutive PTGS1 and an inducible PTGS2, which differ in their regulation of expression and tissue distribution. This gene encodes PTGS1, which regulates angiogenesis in endothelial cells, and is inhibited by nonsteroidal anti-inflammatory drugs such as aspirin. PTGS1 is thought to be involved in cell-cell signaling and maintaining tissue homeostasis. Alternative splicing of this gene generates two transcript variants. The expression of these two transcripts is differentially regulated by relevant cytokines and growth factors. [provided by RefSeq

Other Designations:

OTTHUMP00000022052,OTTHUMP00000022053,prostaglandin G/H synthase and cyclooxygenase, prostaglandin-endoperoxide synthase 1

Gene Pathway

Arachidonic acid metabolism Metabolic pathways

Related Disease

Abdominal Pain Adenocarcinoma Adenoma Adenomatous Polyps Alzheimer Disease Alzheimer disease Asthma Asthma Atherosclerosis Atherosclerosis Atrophy Brain Ischemia Breast cancer Breast Neoplasms Calcinosis Cardiovascular Diseases <u>Cerebrovascular Accident Chorioamnionitis</u> <u>Chronic Disease</u>

... see more

服務條款 | 隱私權政策 | 著作及商標 | 網站地圖

©2016 亞諾法生技股份有限公司 Abnova Corporation. 版權所有.

Page 2 of 2 2016/5/21