

# Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



### Lieferung & Zahlungsart

siehe unsere Liefer- und Versandbedingungen

## Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

#### SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

linkedin.com/company/szaboscandic in





### PTPN2 (Human) Matched Antibody Pair

**Catalog #**: H00005771-AP22 規格:[1 Set]

#### List All

Product Description:	This antibody pair set comes with matched antibody pair to detect and quantify protein level of human PTPN2.
Reactivity:	Human
Quality Control Testing:	Standard curve using recombinant protein ( H00005771-P01 ) as an analyte.
	1.2 1.0 0.8 0.8 0.6 0.4 0.2 0.0 0.01 0.1 1 10 100 1000 Protein Concentration(ng/ml)  Sandwich ELISA detection sensitivity ranging from 1 ng/ml to 100 ng/ml.
Supplied Product:	Antibody pair set content:  1. Capture antibody: rabbit MaxPab® affinity purified polyclonal anti-PTPN2 (100 ug)  2. Detection antibody: mouse purified polyclonal anti-PTPN2 (20 ug)  *Reagents are sufficient for at least 1-2 x 96 well plates using recommended protocols.
Storage Instruction:	Store reagents of the antibody pair set at -20°C or lower. Please aliquot to avoid repeated freeze thaw cycle. Reagents should be returned to -20°C storage immediately after use.
MSDS:	<u>Download</u>
Applications	
ELISA Pair (Reco	ombinant protein)
Gene Information	on
Entrez GeneID:	<u>5771</u>
Gene Name:	PTPN2
Gene Alias:	PTPT,TC-PTP,TCELLPTP,TCPTP
Gene Description:	protein tyrosine phosphatase, non-receptor type 2
•	

#### **Application Image**

ELISA Pair (Recombinant protein)

Gene Summary: The protein encoded by this gene is a member of the protein tyrosine phosphatase (PTP) family. Members of the PTP family share a highly conserved catalytic motif, which is essential for the catalytic activity. PTPs are known to be signaling molecules that regulate a variety of cellular processes including cell growth, differentiation, mitotic cycle, and oncogenic transformation. Epidermal growth factor receptor and the adaptor protein Shc were reported to be substrates of this PTP, which suggested the roles in growth factor mediated cell signaling. Three alternatively spliced variants of this gene, which encode isoforms differing at their extreme C-termini, have been described. The different C-termini are thought to determine the substrate specificity, as well as the cellular localization of the isoforms. Two highly related but distinctly processed pseudogenes that localize to distinct chromosomes have been reported. [provided by RefSeq

Other

T-cell protein tyrosine phosphatase

**Designations:** 

#### **Related Disease**

Addison Disease Arthritis Arthritis, Juvenile Rheumatoid Arthritis, Rheumatoid <u>Autoimmune Diseases Carcinoma Celiac Disease Colitis, Ulcerative Crohn Disease</u> <u>Crohn's disease</u> <u>Diabetes Mellitus, Type 1</u> <u>Diabetes Mellitus, Type 2</u> <u>Disease Progression</u> <u>Disease Susceptibility Genetic Predisposition to Disease</u> <u>Ileal Diseases</u> Inflammatory Bowel Diseases Lupus Erythematosus, Systemic Prostatic Neoplasms

... see more

服務條款 | 隱私權政策 | 著作及商標 | 網站地圖

©2016 亞諾法生技股份有限公司 Abnova Corporation. 版權所有.

Page 2 of 2 2016/5/21