

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten! See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere Liefer- und Versandbedingungen

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

linkedin.com/company/szaboscandic in





S100A7 (Human) IP-WB Antibody Pair

Catalog # : H00006278-PW2 規格 : [1 Set]

List All

Specification		Application Image
Product Description:	This IP-WB antibody pair set comes with one antibody for immunoprecipitation and another to detect the precipitated protein in western blot.	Immunoprecipitation-Western Blot
Reactivity:	Human	
Quality Control Testing:	Immunoprecipitation-Western Blot (IP-WB)	
	250 = 150 = 100 = 75 =	
	50 – 37 –	
	25 - 20 -	
	15-	
	Immunoprecipitation of S100A7 transfected lysate using mouse monoclonal anti-S100A7 and Protein A Magnetic Bead (<u>U0007</u>), and immunoblotted with rabbit polyclonal anti-S100A7.	
Supplied Product:	Antibody pair set content: 1. Antibody pair for IP: mouse monoclonal anti-S100A7 (300 ul) 2. Antibody pair for WB: rabbit polyclonal anti-S100A7 (50 ul)	
Storage Instruction:	Store reagents of the antibody pair set at -20°C or lower. Please aliquot to avoid repeated freeze thaw cycle. Reagents should be returned to -20°C storage immediately after use.	
MSDS:	<u>Download</u>	
Applications		
Immunoprecipit	ation-Western Blot	
Gene Informatio	on	
Entrez GeneID:	6278	
Gene Name:	S100A7	
Gene Alias:	PSOR1,S100A7c	
Gene Description:	S100 calcium binding protein A7	
Omim ID:	600353	
Gene Ontology:		

Page 1 of 2 2016/5/21

Gene Summary: The protein encoded by this gene is a member of the S100 family of proteins containing 2 EF-hand calcium-binding motifs. S100 proteins are localized in the cytoplasm and/or nucleus of a wide range of cells, and involved in the regulation of a number of cellular processes such as cell cycle progression and differentiation. S100 genes include at least 13 members which are located as a cluster on chromosome 1q21. This protein differs from the other S100 proteins of known structure in its lack of calcium binding ability in one EF-hand at the N-terminus. This protein is markedly over-expressed in the skin lesions of psoriatic patients, but is excluded as a candidate gene for familial psoriasis susceptibility. The exact function of this protein is not known. [provided by RefSeq

Other

OTTHUMP00000015327,OTTHUMP00000015328,S100 calcium-binding

Designations: protein A7 (psoriasin 1),psoriasin 1

Related Disease

Dermatitis, Atopic Genetic Predisposition to Disease Ovarian Neoplasms Rhinitis, Allergic, Seasonal

服務條款 | 隱私權政策 | 著作及商標 | 網站地圖

©2016 亞諾法生技股份有限公司 Abnova Corporation. 版權所有.

Page 2 of 2 2016/5/21