



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

SPR (Human) IP-WB Antibody Pair

Catalog # : H00006697-PW1

規格 : [1 Set]


List All

Specification

Product Description: This IP-WB antibody pair set comes with one antibody for immunoprecipitation and another to detect the precipitated protein in western blot.

Reactivity: Human

Quality Control Testing: Immunoprecipitation-Western Blot (IP-WB)



Immunoprecipitation of SPR transfected lysate using mouse monoclonal anti-SPR and Protein A Magnetic Bead ([U0007](#)), and immunoblotted with rabbit polyclonal anti-SPR.

Supplied Product: Antibody pair set content:
1. Antibody pair for IP: mouse monoclonal anti-SPR (300 ug)
2. Antibody pair for WB: rabbit polyclonal anti-SPR (50 ul)

Storage Instruction: Store reagents of the antibody pair set at -20°C or lower. Please aliquot to avoid repeated freeze thaw cycle. Reagents should be returned to -20°C storage immediately after use.

MSDS:  [Download](#)

Applications

Immunoprecipitation-Western Blot

 [Protocol Download](#)

Gene Information

Entrez GeneID: [6697](#)

Gene Name: SPR

Gene Alias: SDR38C1

Gene Description: sepiapterin reductase (7,8-dihydrobiopterin:NADP+ oxidoreductase)

Omim ID: [182125](#)

Gene Ontology: [Hyperlink](#)

Application Image

Immunoprecipitation-Western Blot

Gene Summary: This gene encodes an aldo-keto reductase that catalyzes the NADPH-dependent reduction of pteridine derivatives and is important in the biosynthesis of tetrahydrobiopterin (BH4). Mutations in this gene result in DOPA-responsive dystonia due to sepiaterin reductase deficiency. A pseudogene has been identified on chromosome 1. [provided by RefSeq]

Other short chain dehydrogenase/reductase family 38C, member 1

Designations:

Gene Pathway

[Folate biosynthesis](#) [Metabolic pathways](#)

Related Disease

[Autistic Disorder](#) [Bipolar Disorder](#) [Dystonic Disorders](#) [Genetic Predisposition to Disease](#)
[Parkinson Disease](#) [Parkinson disease](#) [Parkinsonian Disorders](#)

[服務條款](#) | [隱私權政策](#) | [著作及商標](#) | [網站地圖](#)

©2016 亞諾法生技股份有限公司 Abnova Corporation. 版權所有.