



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

TFPI (Human) Matched Antibody Pair

Catalog # : H00007035-AP21

規格 : [1 Set]


[List All](#)

Specification

Product Description: This antibody pair set comes with matched antibody pair to detect and quantify protein level of human TFPI.

Reactivity: Human

Quality Control Testing: Standard curve using recombinant protein (H00007035-P01) as an analyte.



Sandwich ELISA detection sensitivity ranging from 10 ng/ml to 100 ng/ml.

Supplied Product: Antibody pair set content:
 1. Capture antibody: rabbit MaxPab® affinity purified polyclonal anti-TFPI (100 ug)
 2. Detection antibody: mouse polyclonal anti-TFPI (40 ul)
 *Reagents are sufficient for at least 3-5 x 96 well plates using recommended protocols.

Storage Instruction: Store reagents of the antibody pair set at -20°C or lower. Please aliquot to avoid repeated freeze thaw cycle. Reagents should be returned to -20°C storage immediately after use.

MSDS:  [Download](#)

Applications

ELISA Pair (Recombinant protein)

 [Protocol Download](#)

Gene Information

Entrez GeneID: [7035](#)

Gene Name: TFPI

Gene Alias: EPI,LACI,TFI,TFPI1

Gene Description: tissue factor pathway inhibitor (lipoprotein-associated coagulation inhibitor)

Omim ID: [152310](#)

Gene Ontology: [Hyperlink](#)

Application Image

ELISA Pair (Recombinant protein)

Gene Summary: This gene encodes a protease inhibitor that regulates the tissue factor (TF)-dependent pathway of blood coagulation. The coagulation process initiates with the formation of a factor VIIa-TF complex, which proteolytically activates additional proteases (factors IX and X) and ultimately leads to the formation of a fibrin clot. The product of this gene inhibits the activated factor X and VIIa-TF proteases in an autoregulatory loop. The encoded protein is glycosylated and predominantly found in the vascular endothelium and plasma in both free forms and complexed with plasma lipoproteins. Several alternatively spliced transcript variants of this gene have been described, but the full-length nature of some of these variants has not been confirmed. [provided by RefSeq]

Other Designations: OTTHUMP00000163472,anti-convertin,extrinsic pathway inhibitor,lipoprotein-associated coagulation inhibitor,tissue factor pathway inhibitor

Gene Pathway

[Complement and coagulation cascades](#)

Related Disease

[Acute Disease](#) [Antiphospholipid Syndrome](#) [Arterial Occlusive Diseases](#) [Atherosclerosis](#) [Atherosclerosis](#) [Autistic Disorder](#) [Brain Ischemia](#) [Cadaver](#) [Cardiovascular Diseases](#) [Cerebral Infarction](#) [Cerebral Palsy](#) [Cerebrovascular Accident](#) [Coronary Disease](#) [Coronary Restenosis](#) [Diabetes Mellitus, Type 2](#) [Edema](#) [Femur Head Necrosis](#) [Genetic Predisposition to Disease](#) [Hemorrhage](#)

... see more

[服務條款](#) | [隱私權政策](#) | [著作及商標](#) | [網站地圖](#)

©2016 亞諾法生技股份有限公司 Abnova Corporation. 版權所有.