



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

TNXB (Human) IP-WB Antibody Pair

Catalog # : H00007148-PW1

規格 : [1 Set]


[List All](#)

Specification

Product Description: This IP-WB antibody pair set comes with one antibody for immunoprecipitation and another to detect the precipitated protein in western blot.

Reactivity: Human

Quality Control Testing: Immunoprecipitation-Western Blot (IP-WB)



Immunoprecipitation of TNXB transfected lysate using mouse monoclonal anti-TNXB and Protein A Magnetic Bead ([U000Z](#)), and immunoblotted with rabbit polyclonal anti-TNXB.

Supplied Product: Antibody pair set content:
1. Antibody pair for IP: mouse monoclonal anti-TNXB (300 ug)
2. Antibody pair for WB: rabbit polyclonal anti-TNXB (50 ul)

Storage Instruction: Store reagents of the antibody pair set at -20°C or lower. Please aliquot to avoid repeated freeze thaw cycle. Reagents should be returned to -20°C storage immediately after use.

MSDS:  [Download](#)

Applications

Immunoprecipitation-Western Blot

 [Protocol Download](#)

Gene Information

Entrez GeneID: [7148](#)

Gene Name: TNXB

Gene Alias: HXBL, TENX, TNX, TNXB1, TNXB2, TNXBS, XB, XBS

Gene Description: tenascin XB

Omim ID: [130020](#), [600985](#), [606408](#)

Gene Ontology: [Hyperlink](#)

Application Image

Immunoprecipitation-Western Blot

Gene Summary: This gene encodes a member of the tenascin family of extracellular matrix glycoproteins. The tenascins have anti-adhesive effects, as opposed to fibronectin which is adhesive. This protein is thought to function in matrix maturation during wound healing, and its deficiency has been associated with the connective tissue disorder Ehlers-Danlos syndrome. This gene localizes to the major histocompatibility complex (MHC) class III region on chromosome 6. It is one of four genes in this cluster which have been duplicated. The duplicated copy of this gene is incomplete and is a pseudogene which is transcribed but does not encode a protein. The structure of this gene is unusual in that it overlaps the CREBL1 and CYP21A2 genes at its 5' and 3' ends, respectively. Multiple transcript variants encoding different isoforms have been found for this gene. [provided by RefSeq]

Other Designations: OTTHUMP00000062664, growth-inhibiting protein 45, hexabrachion-like, tenascin XB1, tenascin XB2, tenascin-X

Gene Pathway

[ECM-receptor interaction](#) [Focal adhesion](#)

Related Disease

[Abortion](#), [Spontaneous Alzheimer Disease](#) [Alzheimer disease](#) [Arthritis, Rheumatoid](#) [Cardiovascular Diseases](#) [Cerebral Amyloid Angiopathy](#) [Coronary Artery Disease](#) [Diabetes Mellitus, Type 1](#) [Diabetes Mellitus, Type 2](#) [Edema](#) [Genetic Predisposition to Disease](#) [Kidney Failure](#), [Chronic Lupus Erythematosus](#), [Systemic Nasal Polyps](#) [Neuroblastoma](#) [Obesity](#) [Schizophrenia](#) [Schizophrenia](#)

[服務條款](#) | [隱私權政策](#) | [著作及商標](#) | [網站地圖](#)

©2016 亞諾法生技股份有限公司 Abnova Corporation. 版權所有.