



SZABO SCANDIC

Part of Europa Biosite

Produktinformation



Forschungsprodukte & Biochemikalien



Zellkultur & Verbrauchsmaterial



Diagnostik & molekulare Diagnostik



Laborgeräte & Service

Weitere Information auf den folgenden Seiten!
See the following pages for more information!



Lieferung & Zahlungsart

siehe unsere [Liefer- und Versandbedingungen](#)

Zuschläge

- Mindermengenzuschlag
- Trockeneiszuschlag
- Gefahrgutzuschlag
- Expressversand

SZABO-SCANDIC HandelsgmbH

Quellenstraße 110, A-1100 Wien

T. +43(0)1 489 3961-0

F. +43(0)1 489 3961-7

mail@szabo-scandic.com

www.szabo-scandic.com

[linkedin.com/company/szaboscandic](https://www.linkedin.com/company/szaboscandic) 

TRAF1 (Human) IP-WB Antibody Pair

Catalog # : H00007185-PW2

規格 : [1 Set]


[List All](#)

Specification

Product Description: This IP-WB antibody pair set comes with one antibody for immunoprecipitation and another to detect the precipitated protein in western blot.

Reactivity: Human

Quality Control Testing: Immunoprecipitation-Western Blot (IP-WB)



Immunoprecipitation of TRAF1 transfected lysate using mouse monoclonal anti-TRAF1 and Protein A Magnetic Bead ([U000Z](#)), and immunoblotted with rabbit polyclonal anti-TRAF1.

Supplied Product: Antibody pair set content:
1. Antibody pair for IP: mouse monoclonal anti-TRAF1 (300 ug)
2. Antibody pair for WB: rabbit polyclonal anti-TRAF1 (50 ul)

Storage Instruction: Store reagents of the antibody pair set at -20°C or lower. Please aliquot to avoid repeated freeze thaw cycle. Reagents should be returned to -20°C storage immediately after use.

MSDS:  [Download](#)

Applications

Immunoprecipitation-Western Blot

 [Protocol Download](#)

Gene Information

Entrez GeneID: [7185](#)

Gene Name: TRAF1

Gene Alias: EBI6, MGC:10353

Gene Description: TNF receptor-associated factor 1

Omim ID: [601711](#)

Gene Ontology: [Hyperlink](#)

Application Image

Immunoprecipitation-Western Blot

Gene Summary: The protein encoded by this gene is a member of the TNF receptor (TNFR) associated factor (TRAF) protein family. TRAF proteins associate with, and mediate the signal transduction from various receptors of the TNFR superfamily. This protein and TRAF2 form a heterodimeric complex, which is required for TNF-alpha-mediated activation of MAPK8/JNK and NF-kappaB. The protein complex formed by this protein and TRAF2 also interacts with inhibitor-of-apoptosis proteins (IAPs), and thus mediates the anti-apoptotic signals from TNF receptors. The expression of this protein can be induced by Epstein-Barr virus (EBV). EBV infection membrane protein 1 (LMP1) is found to interact with this and other TRAF proteins; this interaction is thought to link LMP1-mediated B lymphocyte transformation to the signal transduction from TNFR family receptors. [provided by RefSeq]

Other Designations: Epstein-Bar virus-induced protein 6, OTTHUMP00000022000

Gene Pathway

[Pathways in cancer](#) [Small cell lung cancer](#)

Related Disease

[Alopecia Areata](#) [Alzheimer Disease](#) [Alzheimer disease](#) [Arthritis](#)
[Arthritis, Juvenile Rheumatoid](#) [Arthritis, Rheumatoid](#) [Atherosclerosis](#) [Autoimmune Diseases](#)
[Cardiovascular Diseases](#) [Celiac Disease](#) [Crohn's disease](#) [Diabetes Complications](#)
[Diabetes Mellitus, Type 1](#) [Diabetes Mellitus, Type 2](#) [Disease Progression](#)
[Ductus Arteriosus, Patent](#) [Edema](#) [Endometriosis](#) [Genetic Predisposition to Disease](#)

[... see more](#)

[服務條款](#) | [隱私權政策](#) | [著作及商標](#) | [網站地圖](#)

©2016 亞諾法生技股份有限公司 Abnova Corporation. 版權所有.